




Developer Services Charging Arrangements 2024/25

About South Staffs Water

South Staffordshire Water PLC ('South Staffs Water') is part of the South Staffordshire Plc group of companies, a privately-owned integrated services group concentrating on regulated water supply and complementary specialist service businesses. We operate across two regions under a single water supply licence, providing clean water services to more than 1.7 million people and around 43,000 businesses in Staffordshire, parts of the West Midlands, and in and around Cambridge. Our South Staffs region extends from Ashbourne in the north to Halesowen in the south, and from Burton-upon-Trent in the east to Kinver in the west. Our Cambridge region stretches from Ramsey in the north to beyond Melbourn in the south, and from Gamlingay in the west to the east of Cambridge city.



South Staffs region



Contents

About South Staffs Water	2
Contents	3
1. Introduction	6
2. Definitions and responsibilities	8
3. Who can carry out new connections activity?	10
3.1 Self Lay providers (SLPs)	10
3.2 New Appointments and Variations (NAVs)	10
3.3 The incumbent water company	10
4. The connection process	11
4.1 Option 1: to connect a South Staffs Water/Cambridge Water scheme	11
4.2 Option 2: to connect a Self-Lay scheme	12
4.3 Option 3: to connect a NAV	15
5. Customer charges	16
5.1 Application fees	16
5.2 Validity of estimates	17
5.3 Water metering policy	17
5.4 Consumption monitoring for major new sites	
6. Water and sewerage infrastructure charges	19
6.1 Water infrastructure charges	19
6.2 Infrastructure charge credit	19
6.3 The relevant multiplier	19
6.4 Sewerage infrastructure charges	20
7. Income offset	21
8. Charges for site-specific, network reinforcement and other work	22
8.1 On-site mains charge	22
8.2 Charges for new or replacement service connections	23
8.3 Non-standard works (main laying)	24
9. Bulk charges for NAVs	25

10. Diverting water mains	26
10.1 Water company diversion	26
10.2 Self-Lay diversion	26
11. Environmental discounts; promoting water efficient home building	28
11.1 Discount level	29
11.2 What do you need to do?	30
11.3 Reviewing on a case-by-case basis	30
12. Payments	31
12.1 Standard payment terms	31
12.2 Payment methods	31
13. Disputes and complaints	33
13.1 Measuring our performance	33
13.2 Disputes and complaints	33
13.3 Water Redress Scheme (WATRS)	34
14. Contacting us	35
14.1 Cambridge region	35
14.2 South Staffs region	35
Appendix 1: Loading units calculator	37
Appendix 2: Mains charges	39
Appendix 3: Service connection charges	49
A3.1 Service connections up to 32mm	49
A3.2 Manifold connections	49
A3.4 Services connections larger than 32mm	50
A3.5 Meters	54
A3.6 Traffic management	55
A3.7 Local authority costs	57
A3.8 Miscellaneous charges	57
Appendix 4: Worked examples	59
Appendix 5: Glossary	101

Appendix 6: Statement of Significant Changes111

1. Introduction

This document sets out the charging arrangements for developers within our South Staffs Water (SSW) and Cambridge Water (CW) operating regions for the period from **1** April 2024 to **31** March 2025.

The charging mechanisms in this document are based on published advice from the Department for Environment, Food and Rural Affairs (Defra) and Ofwat charging rules¹. We continue to follow the guiding principles of these organisations and listen to feedback from our developer customers and other key stakeholders in all aspects of these charging arrangements.

Our new connections charges have been set to support the following principles:

- fairness and affordability;
- environmental protection;
- stability and predictability;
- transparency and customer-focused service; and
- costs of the relevant service.

In the build up to the publication of our 2024/25 developer charges we have consulted with CCW, SLPs, NAVs and developers through a formal consultation document.

There have been no changes to the charging rules for the 2024/25 charging year, however the rules can be seen when clicking on the link in footnote 1 below.

This document includes:

- worked examples in appendix 4 which demonstrate how our charges are applied and what charges apply depending on delivery model and these examples align to the requirements within the Ofwat document 'Common Terms and Worked Examples -English New Connection Rules².
- a glossary of the various industry terminology/definitions in appendix 5 which also aligns to the document noted in footnote 2, these terms are also used within the body of this document.
- a statement of significant changes (appendix 6) which explains those charges which have changed in 2024/25 compared to 2023/24.

¹ Ofwat charging rules: <u>https://www.ofwat.gov.uk/wp-</u> content/uploads/2021/10/Charging Rules For New Connection Services Effective April 2022.pdf

² Common terms and worked examples: <u>https://www.ofwat.gov.uk/wp-</u> content/uploads/2021/10/Common Terms And Worked Examples Effective April 2022.pdf

The charges within this document will apply consistently across schemes that are delivered either in part or in full by Self Lay providers (SLPs), New Appointments and Variations (NAVs) and ourselves for developers. More information on the providers of new connection services can be seen in chapter 3.

All charges shown in this document are exclusive of VAT and VAT will be added, if applicable, at the appropriate rate. The VAT domestic reverse charge for building and construction services (introduced on 1 March 2021) does not apply to our charges because they relate to work carried out on our network, as set out in section 18 of HMRC's VAT reverse charge technical guide.

2. Definitions and responsibilities

In this chapter, we set out information related to the different types of work that can be included to establish a new water network and who can complete this work within the industry market. Depending on the type of work that customers want to undertake, there are various responsibilities about the nature, location, payments and who can carry out the different categories of work.

Figure 1 below sets out some of these responsibilities. It illustrates the guidelines produced by Ofwat and Water UK.




Figure 1 Site-specific and reinforcement definition

This table below shows the responsibility for the provision of assets for new connections and how the costs are owned or recovered by the various organisations. The different work streams can be divided into the following activities and defined as:

- new development (site-specific activity),
- network reinforcement, and
- resources/supplies.

Further details about each work stream are set out below. The contestability of each activity is correct at the time of publication (1 February 2024).

Work stream	Definition
New development	Within a new development, this is site-specific work that includes:
	 the work carried out within the site boundary; and between the site boundary and the existing water main – including the actual connection to our network (point of connection).
	The point of connection is the nearest practical location where the live main is the same size or larger than the new connecting main.
	All these works, apart from the physical point of connection itself, are contestable and can be carried out by:
	• Self Lay providers (SLPs);
	 New Appointments and Variations (NAVs); and
	 South Staffs Water/Cambridge Water (SSW/CW);
	Site costs can include design costs and are recovered through service connection and main laying charges.
Network reinforcement	This refers to work that is outside the new development, but is required as a consequence solely of the new development; it is not attributed to other factors within the network.
	The cost of this work is recovered through the infrastructure charge that is paid by the developer for each connection.
Resilience	We may design/require new development assets to include resilience arrangements which give us greater operating capability once the network is live, resilience costs are not recovered through new connection charges.
Resources/supplies	Outside of the above, the general supply and treatment of potable water is funded through general charges to all water customers.
	This work must be carried out by SSW/CW.
	The costs of this work are not recovered through any new connection charges.

3. Who can carry out new connections activity?

New connections activity can be carried out by a number of providers.

3.1 Self Lay providers (SLPs)

• Self Lay providers (SLPs) are contractors that are accredited under the Water Industry Registration Scheme (WIRS) to carry out new connections activity. This typically includes designing and constructing new service connections and laying new water mains. Each incumbent water company will set out which activities it deems as contestable and which are non-contestable each year.

On 1 January 2021 we saw the introduction of a new Self Lay Code for Adoption, to read more about these codes including what activity SLPs can carry out within the South Staffs and Cambridge Water regions and what the requirements of SLPs are please refer to our website³.

For the purposes of our charges, the headline activities which are non-contestable include:

- application fee activities excluding designs,
- the physical connection between a new mains length and our existing main (otherwise referred to as 'source of water' connections).

The charges relating to these activities are signposted within this document.

3.2 New Appointments and Variations (NAVs)

 New Appointments and Variations (NAVs) are limited companies that become the new provider of water and/or sewerage services to an area previously served by the existing incumbent water company. In becoming the new provider NAVs typically receive new connections services from the existing incumbent water company and/or SLP to set up a water supply into the area.

3.3 The incumbent water company

• South Staffs and Cambridge Water (the incumbent water company).

³ Water Codes for Adoption webpage: <u>www.south-staffs-water.co.uk/developer/get-connected/self-lay/water-codes-for-adoption</u>

4. The connection process

This chapter sets out the various steps carried out by the respective parties to complete a water connection, from submitting an application through to establishing an account within the billing system.

Blue steps reflect the developer customer actions.

Green steps reflect the actions for South Staffs and Cambridge Water.

4.1 Option 1: to connect a South Staffs Water/Cambridge Water scheme

Figure 2 Developers requiring one or more single service connections

Step 1 – submit an Step 3 – pay for the Step 4 – complete the for the service service connection application form with pipework within your boundary and pass an required supporting charges documents and pay the inspection application fee This can be done by BACS, cheque or debit/credit The developer (or a This can be done by email card. plumber) can complete or post, depending on the the pipework within the may take longer. option selected on 'Your boundary of the property. application'. Before the connection is We will acknowledge your made into our existing application within 5 days network an inspection of receipt. must be passed by SSW/CW or by selfcertification. Step 5 – provide postal Step 6 – connect your Step 7 – infrastructure Step 8 – create a billing addresses charges and income offset rebate We require the postal address confirmed by the Once the connection is complete you will receive local authority for each property (unless it is an the balance from the existing property). This infrastructure charges and enables us to create new income offset. billing accounts. are permitted to work in

Figure 3 Developers requiring a new mains scheme



4.2 Option 2: to connect a Self-Lay scheme

Figure 4 Self Lay providers Point of Connection (POC) application

Step 1 – submit an application form with required supporting documents and pay the application fee

This can be done by email or post, depending on the option selected on 'Your application'.

We will acknowledge your application within 5 days of receipt.

Step 2 – review and validate POC proposal

We will review and validate POC proposal within 14 days for simple schemes and up to 28 days for complex schemes.

Self Lay providers mains laying application:

Figure 5 Application steps where the SLP is completing the design

Step 1 – submit an application form with required supporting documents and pay the application fee

This can be done by email or post, depending on the option selected on 'Your application'.

We will acknowledge your application within 5 days of receipt.

Step 2 – provide design acceptance, non-contestable activities quote and mains adoption agreement

We will provide you with a design acceptance in up to 14 days for simple schemes. Complex jobs can take up to 21 days.

We will provide the adoption agreement within 7 days of request.

Step 3 – pay the noncontestable costs

This can be done by BACS, cheque or debit/credit card.

Figure 6 Application steps where South Staffs Water/Cambridge Water is completing the design

Step 1 – submit an application form with required supporting documents and pay the application fee

This can be done by email or post, depending on the option selected on 'Your application'.

We will acknowledge your application within 5 days of receipt.

Step 2 – provide design, noncontestable activities quote and mains adoption agreement

We will provide you with a design in up to 28 days for simple schemes. Complex jobs can take up to 42 days.

We will provide the adoption agreement within 7 days of request. Step 3 – pay the noncontestable costs

This can be done by BACS, cheque or debit/credit card.

Figure 7 Mains laying steps





Figure 8 Service connection steps



4.3 Option 3: to connect a NAV

Figure 9 Application steps



 Step 9 – SOW provided for testing
 Step 10 – permanent supply
 contract main

 This will be provided within 28 days.
 This will be provided within 14 days.
 main

 Step 9 – SOW and connecting infrastructure
 Step 9 – SOW and
 main

This will be provided within 90 days.

provided

Step 11 – billing and contract maintenance

5. Customer charges

This chapter explains our charges and how we have calculated each of them.

We assess each application from developers on an individual basis, taking the customer's requirements into account. These can vary from a single connection to our existing main to a large development that requires on-site mains and off-site reinforcement.

We have a number of charges for new connections to our water network. These are:

- a) Application fees;
- b) Water and sewerage infrastructure charges;
- c) Water mains charges;
- d) Water service connection charges; and
- e) Diversion charges.

We discuss each of these in more detail in the following chapters.

5.1 Application fees

Application fees cover the cost we incur when providing the administrative steps at the start of each process. We charge an application fee for requests as set out in table 1.

Table 1 – Application fees

Application	Charge
NAV (site status) enquiry	£57.00
Developer enquiry/speculative enquiry/ Self Lay POC (point of connection)	£101.00
application	
Service connection application	£170.00
Redesign/requote of service connection	£71.00
Mains application where SSW/CW are completing the design	£483.00
Redesign/requote of mains scheme (company lay or Self Lay)	£377.00
Mains application where a SLP is completing the design element	£363.00
NAV bulk supply application	£483.00
Redesign/requote of NAV scheme	£377.00
Diversion application	£488.00
Redesign/requote of diversion scheme	£394.00
Diversion application – if (after reviewing an application) we find that a	£171.00
diversion is not required a refund of £317.00 will be provided as we do not	
need to undertake activity such as providing a diversion design	

Where a developer customer is seeking a separation/replacement of an existing service connection supply there is no application fee payable.

VAT is applicable for application fees.

The application fee covers the full process of preparing a quotation. This includes:

- administration costs (including acknowledgement, checking documentation, administrative queries),
- checking the network's capacity,
- production of a design and an on-site estimate of costs associated with delivering the work, which results in the quotation, and
- a plan being issued to the developer customer.

The application fees are calculated by completing an activity-based costing approach whereby each task (summarised above) is costed based on the duration to complete the task and the cost per minute incurred by those carrying out each task. The cost of each task is then totalled to arrive at the charges shown in table 1.

Within the list of tasks provided for the application fee the design element is **contestable**. We therefore have a reduced mains charge (as shown in table 1) to reflect applications where the SLP is completing the design.

5.2 Validity of estimates

Our quotations are valid for 12 months after the issue date. Once payment of the quote has been made this quote will be honoured (provided the scope of work does not change).

If a developer customer has paid for the quote but requires an amendment to the quotation that represents a material change to the original design, we will need to recomplete the administrative steps and therefore we will apply the relevant application fee.

In the event that a developer customer has not paid for the quote within 12 months and the offer has expired, they will need to re-apply and the appropriate application fee will be charged again.

5.3 Water metering policy

Water metering is an important consideration on any new development. This is mandatory for new connections regardless of whether we are providing the connections to our network, or an SLP is providing them. Water meters are chargeable for both household and non-household developments, and the charge depends on meter size and configuration. Where a connection is replacing an existing connection this connection does not need to become metered if not already.

The water company bears the bulk meter arrangement costs on a NAV scheme.

5.4 Consumption monitoring for major new sites

For developments of 300 properties or more, we reserve the right to install a new meter chamber, meter and associated logging equipment for the new site. This equipment is required to monitor the consumption data in the new development so that we can make adequate provision to monitor and identify any subsequent leakage levels in the area.

6. Water and sewerage infrastructure charges

6.1 Water infrastructure charges

Depending on the location and scale of a new development, we may need to upgrade our network to meet the supply requirements of the new connections.

Infrastructure charges fund the expenditure required to provide the enhancements to the distribution system that are necessary to meet increased demand resulting from new or additional connections to our water supply system.

All types of connections, household and non-household, incur infrastructure charges regardless of whether a water company, SLP or a NAV delivers the connection.

The infrastructure charge calculation is typically based on forecast data and consists of:

- taking the total cost of developer-driven, non-site specific work to our existing network over the next five-year period to facilitate planned growth, and
- dividing this by the total number of property connections over the same five-year period.

This gives us a 'per property infrastructure charge'. Our infrastructure charge remains £305 per plot for the 2024/25 charging year. This will apply across both our Cambridge and South Staffs regions.

6.2 Infrastructure charge credit

We will apply infrastructure charge credits where the site has been connected to our network within the previous five years. This reflects the reduction in the need for network reinforcement.

We apply the credit by deducting the number of former dwellings connected on the site (within use within the previous five years) or by taking the metered water consumption of the site and equating that to an average dwelling within the company's area to arrive at an equivalent number of dwellings. In the absence of metered information, we use other reasonable evidence to estimate the previous demand on the network from the site.

6.3 The relevant multiplier

In certain circumstances, if the water is used for purposes other than flats or houses (for example, in commercial premises, schools and hotels), we calculate the infrastructure charge according to the number and type of water fittings installed in the premises. We call this the 'relevant multiplier' or 'RM'.

We calculate the RM by totalling the loading units⁴ for all water fittings in the property and dividing that number by 24. This is the total number of loading units for a standard dwelling. We then multiply the RM by the current water and sewerage infrastructure charges to arrive at the total charges for the property.

See table A2 in appendix 1 for more details.

6.4 Sewerage infrastructure charges

We collect all sewerage charges on behalf of either <u>Anglian Water</u>⁵ (in our Cambridge region) or <u>Severn Trent Water</u>⁶ (in our South Staffs region). Queries about sewerage infrastructure charges or sewerage discount schemes should be referred directly to these companies.

The same RM, calculated using the methodology described above, will be applied to the sewerage infrastructure charge. As with water infrastructure charges, sewerage infrastructure charges are reviewed by the respective company each year.

⁴ 'Loading units' are loadings attributed to each water fitting.

⁵ www.anglianwater.co.uk/developers/

⁶ www.stwater.co.uk/building-and-developing/overview/

7. Income offset

We use the term 'income offset' to describe the reduction in our new connection charges that is applied to reflect the bill-paying income that we will receive from the newly connected properties over a 12-year period. We will apply an income offset amount per property.

Income offset is applied against the infrastructure charge. The purpose of the infrastructure charge and the purpose of income offset are not related however we apply against the infrastructure charge (in line with the new connections charging rules) because it is applicable for all developer customers and therefore it ensures that the offset is applied in all new connection circumstances irrespective of who carries out the works.

For our 2024/25 charges, the income offset value is £834.50 per plot. The income offset is greater than the infrastructure charge by £529.50 and therefore this will be deducted from the balance of all charges due at that point, which may mean that we need to provide a rebate to the developer customer.

Income offset is not applicable for replacement connections.

The worked examples in appendix 4 show how we will apply these fixed charges in practice.

8. Charges for site-specific, network reinforcement and other work

8.1 On-site mains charge

We know from feedback that developers like to know in advance and consistently what they will have to pay for certain activities undertaken at their request. So, this chapter will enable the likely cost to be determined without further reference to us.

The first stage is to determine the likely point of connection (POC) to our network. For anyone wishing to know the point of connection off our network, this information can be requested through a pre-development enquiry or Self Lay 'POC' application as set out on our website.

A suitable point of connection will be any main with a diameter the same size or greater than that of the requisitioned main. Occasionally we may prefer a different point of connection – for example, to ensure no impact on other customers or to facilitate network resilience. If we do, we will not make a charge in respect of any additional costs associated with that new point of connection.

The likely components of the requisitioned main will need to be determined from the mains design. To ensure consistency, if we need to design a mains layout for a site, we will use the latest version of 'Civil Engineering Specification for Water Industry' as well as our 'Design and Construction Specification'⁷.

Our mains charges are based on the cost of paying our contract provider to carry out these specific activities plus the cost we directly incur for managing this activity.

Tables A3.1 to A3.18 and A4.6 to A4.8 in appendices 2 and 3 respectively illustrates how to calculate the charges according to the nature and number of components within the design.

Mains charges are structured in a 'menu of rates' approach and will be applied on a per item basis i.e. per metre of pipework, per item for fittings (e.g. valves), per trial hole. The total mains charges will typically be comprised of:

- Pipework; the cost here is driven by the length of pipework required, the diameter of the main, the type of material (whether barrier pipe is required to protect against contamination), the type of ground and whether we are required to excavate and reinstate the ground or simply lay the pipework (lay only)
- Fittings; we have universal rates for tees, bends, valves and hydrants and again the cost here is driven by the number of fittings required, the diameter of the fittings,

⁷ https://www.south-staffs-water.co.uk/media/4509/sst-design-and-construction-specification.pdf

the ground type and whether we are required to 'lay only' or excavate and reinstate the ground

- Mains connection; we have a set of connection rates and a set of under pressure connection rates, the cost here is driven by the diameter of the connection required and the type of ground that we are working in. Where we are carrying out an under pressure connection we will also include for the cost of an under pressure drill.
- Traffic management; where we are completing works in the highway we will most likely require traffic management, the cost here is driven by how extensive the traffic management required is
- Accompanying items; when carrying out main laying activity will also often include for chlorination and pressure testing, trial holes, road plates and a mini digger.

The worked examples in appendix 4 show how we will apply these fixed charges in practice.

As previously referenced, the majority of the services provided for mains laying are **contestable.** However, the physical connection between a new main and the existing main is **non-contestable** in the South Staffs and Cambridge Water regions.

8.2 Charges for new or replacement service connections

Our service connection charges are based on the cost of paying our contract provider to carry out these specific activities plus the cost we directly incur for managing this activity.

Tables A4.1 to A4.8 in appendix 3 illustrates how to calculate the charges according to the nature and number of components within the design.

Service connection charges are structured in a 'menu of rates' approach and will be applied on a per item basis i.e. per connection, per metre of pipework. The total service connection charges will typically be comprised of:

- Connection including 2m of pipework; the cost here is driven by the diameter of the connection, the type of material (whether barrier pipe is required to protect against contamination), the type of ground and type of connection
- Pipework; the cost here is driven by the length of pipework required, the diameter of the main, the type of material (whether barrier pipe is required to protect against contamination) and the type of ground
- Traffic management; where we are completing works in the highway we will most likely require traffic management, the cost here is driven by how extensive the traffic management required is
- The cost of the meter itself and fitting the meter.

The worked examples in appendix 4 show how we will apply these fixed charges in practice and show which activities are contestable and can be undertaken by SLPs/NAVs.

Please note that all connections are subject to us carrying out a regulations inspection of the customer-side pipework (pipework within the boundary of the property) and that all charges are net of VAT, where applicable.

8.3 Non-standard works (main laying)

Because of the varying nature of connections, circumstances sometimes arise where external factors can affect the costs we incur. These external factors may be outside our immediate knowledge or control. In exceptional cases, they could lead to a significant variance in costs.

For this reason, Ofwat has confirmed that water companies should not have to provide fixed up-front charges for mains requisitions in the following situations where it would be unreasonable to expect us to do so.

- The work is technically complex, bespoke, or only carried out infrequently,
- Third parties can legitimately recover their costs and there is not a reasonable level of certainty about those costs before the connection work is carried out,
- The requirements of third parties are not known up front they have rights to protect their assets or interests in a way that could affect the construction method,
- The work is to be carried out on or close to land that has particular environmental, historical or archaeological characteristics. These characteristics mean that specific measures are required during construction or reinstatement. The details of these measures may not be fully defined before the work starts.

We will use bespoke charges for any non-standard work using the best information available and based on the recovery of reasonable costs.

9. Bulk charges for NAVs

We have published our 2024/25 bulk charges for NAVs in a standalone document which can be accessed here <u>https://www.south-staffs-water.co.uk/media/4525/ssc-nav-charges-2024-25.pdf</u>.

10. Diverting water mains

If an existing water main is in the vicinity of planned works, we can divert the main if it is practical for us to do so. We call the process of altering or removing assets in this way a 'diversion'.

In cases where we carry out some or all of the diversion work, we will provide a quotation based on our best estimate of costs; we are only entitled to recover any reasonable costs. All or part of the diversion works may be constructed by a suitably qualified third party contractor (SLP); this only applies to contestable elements and requires prior agreement.

10.1 Water company diversion

We will carry out major diversion work as required by highway/transport authorities in accordance with the <u>New Roads and Streetworks Act 1991</u>⁸. We will provide a response to:

- C2 Preliminary Enquiries,
- C3 Budget Estimates, and
- C4 Detailed Estimates in accordance with the Code of Practice timescales (unless an extension is obtained with mutual agreement).

The estimated cost refers only to the scope of works detailed within the request for diversion of apparatus. If the scope of works changes in any way, it is possible that variations will apply. Payment will be in accordance with regulation 8(1), including any adjustments for betterment or deferment where applicable.

C3 budget estimates are free of charge however C4 detailed estimates are chargeable in line with Table 1 within this document.

In terms of diversion construction costs; we will recover 82% of the costs of NRSWA related diversions and 100% of the costs for development related diversions (known as Section 185 diversions).

10.2 Self-Lay diversion

Developers can choose an accredited SLP to carry out the water main diversion on our behalf. It is necessary for developers to have agreement before the work starts – and that we and the SLP understand clearly the contestable and non-contestable elements of the project, and can work together to deliver this in the required manner.

⁸ www.legislation.gov.uk/ukpga/1991/22/contents

In all other cases, where we do not receive a C3 and C4 and the required diversion is not covered by the New Roads and Streetworks Act, the allowable costs of the mains diversion work must be paid in full.

11. Environmental discounts; promoting water efficient home building

There are lots of good reasons why we should increase the water efficiency of our new developments, we have centred on two of these reasons below.

Lowering water consumption

Both our South Staffs and our Cambridge regions are classed as areas of serious water stress. One of the key elements of our water resources strategy is reducing the usage from household customers by 30 litres per person per day by 2050.

There are a number of ways to reduce the amount of water that our customers use (alongside reducing the amount of water that we require across our network more broadly through reduced leakage for example) and one of the ways is through the water usage from newly built properties.

Mitigating against developer bill increases

We have discussed the key regulatory changes that will take effect from 2025/26 a number of times in our forums over recent years. The key headline (with relation to the need to increase water efficient home building) is that the income offset rebate which is provided to all developer customers today, will not be applied to any new schemes from 2025/26⁹.

If we do nothing, developer bills will simply increase as the rebate is removed however we have an opportunity to mitigate this bill increase by increasing the level of discounts and rebates that we provide for water efficient building.

We have an existing incentive scheme which is designed to promote water efficient home building by providing a discount against our infrastructure charges when properties are built to achieve 100 litres per person per day (I/p/d). This existing scheme focuses on the fittings used within a property to reduce consumption and we plan to maintain this scheme however we are expanding the set of options that can attract a discount in 2024/25 to give developer customers greater opportunity to mitigate bill increases and ultimately reduce consumption in newly connected properties.

The set of options that we can attract a discount are shown in table 2.

⁹ https://www.ofwat.gov.uk/wp-

content/uploads/2021/04/Scope and balance of developer charges and incentives conclusions.pdf

Table 2 – Water efficiency options

Option	Description
Internal fittings	Internal fittings (such as washing machines or showers) designed to limit usage.
Reducers	A device that sits in the service connection/meter arrangement and reduces the flow of water that passes to the property from the water main (our network).
Rainwater/greywater harvesting system	A system which is integrated into a new property to capture and use rainwater or greywater for non-potable purposes to reduce the overall usage from your supply into our network.
Water neutrality	A development phase where the water demand is cancelled out by implementing water saving techniques on both the latest phase and retrofitting on previous phases.
	Example: retrospective fitting of water saving devices to previous phases of a development to cancel out the usage from plots in the latest phase.

11.1 Discount level

The discount provided for any option will be based on the reduction in consumption demonstrated within the design information put forward with each application.

A sliding scale will be used as shown below whereby the discount will reflect 100% of the infrastructure charge when properties are designed to meet 80lpd however greater and lesser discounts can be achieved by scaling up or down the consumption reduction.

Table 3 – Discount sliding scale example

Consumption	60lpd	80lpd	100lpd	No efficiency options included in design
Discount	£407/plot	£305/plot	£203/plot	£0/plot

11.2 What do you need to do?

We need to know that you intend to build water efficient homes at the application stage. When you submit your application there will be an option to select which notifies us that you are planning to build water efficient homes which qualify for a discount. We also need to receive evidence from you which demonstrates the reduced consumption, we will then cater for this discount within the quote we provide to you.

The evidence can be in the form of:

- Home Quality Mark (HQM) / BREEAM certification,
- outputs from the water calculator,
- another appropriate accreditation,
- product specification information alongside evidence of real world use/savings.

We will then carry out a check of the evidence to verify the information before providing the discount.

11.3 Reviewing on a case-by-case basis

We recognise that each option is better suited to some scenarios and less suited to others, for example reducers might not be suitable in areas of our network with lower pressure. We will therefore review each application on a case-by-case basis. Equally, we need to ensure that where options are implemented the necessary controls are in place, such as non-return valves on harvesting systems and again this will be done on a case-by-case basis at the design stage.

We will next review the water efficiency incentives for 1 April 2025 alongside the wider options noted in the previous chapter.

12. Payments

12.1 Standard payment terms

Once we have carried out our surveys, we will provide a quote for our works and meter costs and payment will be required in advance for both water mains (site-specific) and service connections before we undertake our works.

Once service connections have been made the balance from the infrastructure charges and income offset is due. While the infrastructure charges can be paid in advance, the income offset may not be bought forward and will only be payable upon connection.

For non-standard works and diversions, if the actual works carried out represent a material change to the works originally quoted for you will be invoiced accordingly for these charges and these will be due immediately.

All charges are subject to the addition of VAT where this is payable under the relevant legislation.




Figure 11 Payment process

12.2 Payment methods

Our preferred payment method is bank transfer (BACS or CHAPS). BACS payments can be made into our account using the details below.

Bank:	HSBC
Sort code:	40-11-18
Account number:	63987183
UTR number:	6751065210
Company registration number:	2662742

We also accept all major debit and credit cards. Payment by card can be made by phoning 0845 456 1030.

We ask developers to quote a reference number (which we will have provided to you) when making payments. This should be an application number, job number or scheme number. Applications may be delayed if developers do not provide this information.

In addition, we accept cheques. These should be made payable to 'South Staffs Water' and sent to us at one of the following addresses.

Cambridge Water 90 Fulbourn Road Cambridge CB1 9JN South Staffs Water Green Lane Walsall WS2 7PD

13. Disputes and complaints

13.1 Measuring our performance

In line with the rest of the water sector, we currently report customer service statistics in accordance with Water UK's requirements. We publish our performance statistics on our <u>website</u>¹⁰.

We offer a redress scheme, which covers the following metrics. The below can be applied for on request.

			Volantary	Redress (in a	addition to ta	irget days)
SLA measure	Ref no	Service Target days	1-7days	8-14days	14-30days	30days+
Pre development enquiry	W1.1	21	£15.00	£35.00	£70.00	£150.00
S45 quote acknowledgement	W2.1	5				
545 prepare quote	W3.1	28	£15.00	£35.00	£70.00	£150.00
545 connection	W4.1	21	£15.00	£35.00	£70.00	£150.00
Mains design < 500 plots acknowledgement	W5.1	5				
Mains design < 500 plots design and offer	W6.1	28	£15.00	£35.00	£70.00	£150.00
Mains design > 500 plots design and offer	W7.1	90				
S185 main diversion application acknowledgement	W16.1	5				
5185 main diversion quote (without constraints)	W17.1	42	£15.00	£35.00	£70.00	£150.00
S185 main diversion quote (with constraints)	W17.2	By agreement				
5185 main diversion construction/commissioning	W18.1	90	£15.00	£35.00	£70.00	£150.00
SLPOC application acknowledgement	W19.1	5				
Self-lay POC report for < 500	W20.1	21	£15.00	£35.00	£70.00	£150.00
Self-lay POC report for > 500	W21.1	28				
Self-lay design and terms request application acknowledgement	W22.1	5				
Self-lay design and terms request application for <500 plots no off site reinforcement or engineering difficultie	w23.1	14	£15.00	£35.00	£70.00	£150.00
Self-lay design and terms request application for >500 plots no off site reinforcement or engineering difficulties	W24.1	28				
Self-lay signed agreement acknowledgement	W25.1	5				
Self-lay source of water for pressure/bacteriological testing	W26.1	28	£15.00	£35.00	£70.00	£150.00
Self-lay provision of permanent supply of water	W27.1	14	£15.00	£35.00	£70.00	£150.00
Self-lay issue of vesting certificate	W28.1	7				
Self-lay asset payment	W29.1	35				£150.00
Self-lay provision of plot reference and costing details	W30.1	14				

For further details and definition of the above Service Level Agreement measures go to: <u>https://developerservices.water.org.uk/</u>

13.2 Disputes and complaints

At South Staffs and Cambridge Water we want to provide the best possible service to all of our developer customers. Therefore, if you are dissatisfied with the service that you have received from us we would like to know about this at the earliest opportunity so that we can work with you and look to provide a suitable resolution.

If you are not satisfied with our response to an initial concern, complaints can be made in writing to the Developer Services team using the contact details within chapter 15 of this document.

¹⁰ www.south-staffs-water.co.uk/developer/performance

13.3 Water Redress Scheme (WATRS)

WATRS has been designed to complement CCWater's mediation and investigation. If CCWater is unable to settle a customer's dispute, WATRS will provide a final resolution that is binding upon water and sewerage companies.

14. Contacting us

Our dedicated Developer Services teams can be contacted about any queries relating to current and future water requirements for new developments.

14.1 Cambridge region

Developer Services Cambridge Water 90 Fulbourn Road Cambridge CB1 9JN

Phone: 01223 403115 Website: www.cambridge-water.co.uk/developer

Email: for all application, administrative, mains laying and service connection activity within the Cambridge region please contact: <u>CamNetDev@south-staffs-water.co.uk</u>

For asset plans/map enquiries please contact: <u>mapenquiries@south-staffs-water.co.uk</u>

14.1.1 Sewerage enquiries – Cambridge region

Anglian Water Lancaster House Lancaster Way Ermine Business Park Huntingdon PE29 6YJ

Phone: 0345 60 66 087 Website: <u>www.anglianwater.co.uk/developers/</u>

14.2 South Staffs region

Developer Services South Staffs Water Green Lane Walsall WS2 7PD

Phone: 0345 345 1399 Website: www.south-staffs-water.co.uk/developer Email: for applications, designs, soil reports, plot reference details, inspection requests or providing certification of inspections, weekly whereabouts (SLPs), confirmations that service connections have been completed (SLPs) and meter fit requests (SLPs) please contact:

Servicerequests@south-staffs-water.co.uk

For returning agreements, requesting vesting certificates or asset payments and other payment items please contact: <u>developerservices@south-staffs-water.co.uk</u>

For mains laying activity such as arranging pre start meetings, arranging the delivery of mains laying on-site (including for SLP non-contestable activity) and discussing sample results please contact: <u>technicalservices@south-staffs-water.co.uk</u>

For asset plans/map requests or to provide 'As Laid' drawings please contact:

recordsenquiries@south-staffs-water.co.uk

14.2.1 Sewerage enquiries – South Staffs region

Severn Trent Water Severn Trent Centre 2 St Johns Street Coventry CV1 2LZ

Phone: 0800 707 6600 Website: <u>www.stwater.co.uk/building-and-developing/overview/</u>

Appendix 1: Loading units calculator

Table A1 Loading units calculator

Water fitting/appliance	Loading units
WC flushing cistern	2
Urinal	3
Wash basin in a house	1.5
Wash basin elsewhere	3
Bath (tap nominal size ¾"/20mm)	10
Bath (tap nominal size >¾"/20mm)	22
Shower	3
Sink (tap nominal size ½"/15mm)	3
Sink (tap nominal size >½"/15mm)	5
Spray tap	0.5
Bidet	1.5
Domestic appliance	3
Communal or commercial appliance	10
Any other waste fitting or outlet	3

Notes:

- 1. 'Any fitting' includes any plumbing, outlet, dedicated space or planning, or other provision for that fitting.
- 2. 'House' means any building or part of a building which is, or will be, occupied as a private dwelling. This includes flats/apartments.
- 3. 'Wash basin elsewhere' is not within a house (including in communal facilities).
- 4. 'Bath' includes whirlpool baths or Jacuzzis.
- 5. 'Domestic appliance' means an appliance (including dishwashers, washing machines and waste disposal units) in a house; 'communal or commercial appliance' means an appliance (including dishwashers, washing machines and waste disposal units) in somewhere other than a house (including in communal facilities).
- 6. A minimum of six loading units is included for each house for domestic appliances (whether or not the house has any such appliances). This does not apply where neither a washing machine nor a dishwasher can be provided (and there is no plumbing, outlet, dedicated space, or planning or other provision for either appliance) in the house.
- 7. Where premises have only a sewerage connection and there are no water fittings, the relevant multiplier is one.

Table A2 Relevant multiplier (RM) calculation – example

The example in the table below shows how the RM is used on a new development – in this case, a 20-bedroom hotel in our Cambridge region.

Water fitting/appliance	Number required	Loading units	Total proposed no. of loading units				
WC flushing cistern	30	2	60				
Urinal	3	3	9				
Wash basin in a house	25	1.5	37.5				
Wash basin elsewhere	3	3	9				
Bath (tap nominal size ¾"/20mm)	5	10	50				
Bath (tap nominal size >¾"/20mm)	_	22	0				
Shower	20	3	60				
Sink (tap nominal size ½"/15mm)	3	3	9				
Sink (tap nominal size >½"/15mm)	-	5	0				
Spray tap	-	0.5	0				
Bidet	-	1.5	0				
Domestic appliance	_	3	0				
Communal or commercial appliance	_	10	0				
Any other waste fitting or outlet	-	3	0				
Total	234.5						
Relevant Multiplier (Total number of l	Relevant Multiplier (Total number of loading units divided by 24)						

In this example, the water infrastructure charge would be $9.77 \times £305.00 = £2,979.85$. We will review this charge each year.

Appendix 2: Mains charges

Within our mains laying activity the physical connection between a new main and our existing network is **non-contestable**. The charges for this activity are primarily those shown in Tables A3.7, A3.10, A3.13, A3.14 and A3.15 below. However, in carrying out the connection itself we often require other chargeable items such as fittings, a short length of pipework, traffic management and therefore these charges will form part of the **non-contestable** costs when associated with a physical connection but are **contestable** when associated with other activities for example general mains laying. This is demonstrated within the worked examples later in this document.

Table A3.1 Pipework charges where the ground excavation and reinstatement is not completed by South Staffs and Cambridge Water

Location	Condition	Material	OD size (mm)	Cost per m (£)	Weekday out of hours (£)	Weekend out of hours (£)
		HPPE	63	£33.60	£44.68	£51.07
		HPPE	90	£37.26	£49.56	£56.64
		HPPE	125	£45.47	£60.48	£69.12
	Pipework	HPPE	180	£59.77	£79.50	£90.85
Lay only	Non Contaminated	HPPE	225	£107.70	£143.24	£163.70
		HPPE	280	£145.57	£193.61	£221.27
		HPPE	315	£163.24	£217.10	£248.12
		HPPE	355	£186.19	£247.63	£283.00
		ALPE	63	£52.86	£70.30	£80.34
Lay only	<u>.</u>	ALPE	90	£56.26	£74.83	£85.52
	Pipework Contaminated	ALPE	125	£83.85	£111.52	£127.45
	Contaminated	ALPE	180	£101.28	£134.71	£153.95
		ALPE	250	£224.26	£298.27	£340.87

Pipework with an OD size above the sizes shown in table A3.1 is typically associated with complex larger schemes and will be quoted on application.

Table A3.2 Pipework charges where the ground excavation and reinstatement is completed by South Staffs and Cambridge Water on a development site (unmade ground)

Location	Condition	Material	OD size (mm)	Cost per m (£)	Weekday out of hours (£)	Weekend out of hours (£)
		HPPE	63	£53.53	£71.20	£81.37
		HPPE	90	£57.66	£76.69	£87.65
		HPPE	125	£65.87	£87.61	£100.12
Development	Pipework	HPPE	180	£80.17	£106.63	£121.86
Site	Non Contaminated	HPPE	225	£176.42	£234.64	£268.16
		HPPE	280	£214.30	£285.02	£325.73
		HPPE	315	£231.96	£308.50	£352.58
		HPPE	355	£254.91	£339.03	£387.46
		ALPE	63	£74.00	£98.41	£112.47
		ALPE	90	£77.40	£102.95	£117.65
Development Site	Pipework Contaminated	ALPE	125	£104.99	£139.64	£159.59
	Contaminated	ALPE	180	£122.42	£162.82	£186.08
		ALPE	225	£292.98	£389.67	£445.33

Pipework with an OD size above the sizes shown in table A3.2 is typically associated with complex larger schemes and will be quoted on application.

Table A3.3 Fittings charges where the ground excavation and reinstatement is not
completed by South Staffs and Cambridge Water

Location	Condition	OD size (mm)	Each (£)	Weekday out of hours (£)	Weekend out of hours (£)
		63	£261.10	£347.26	£396.87
		90	£253.69	£337.41	£385.61
		125	£306.29	£407.36	£465.56
Lov only	Fittings eg. Tees, sluice valve, wash out, bends	180	£475.55	£632.48	£722.84
Lay only		225	£774.33	£1,029.86	£1,176.99
		280	£887.30	£1,180.10	£1,348.69
		315	£1,018.58	£1,354.71	£1,548.23
		355	£1,159.76	£1,542.49	£1,762.84

Table A3.4 Back to back connection charges where the ground excavation and reinstatement is completed by South Staffs and Cambridge Water on a development site (unmade ground)

Location	Condition	OD size (mm)	Each (£)	Weekday out of hours (£)	Weekend out of hours (£)
	63	£780.36	£1,037.87	£1,186.14	
		90	£780.36	£1,037.87	£1,186.14
Development	Back to Back	125	£780.36	£1,037.87	£1,186.14
Site	Connection	180	£842.44	£1,120.45	£1,280.52
		225	£842.44	£1,120.45	£1,280.52
		280	£842.44	£1,120.45	£1,280.52

Table A3.5 Pipework charges where the ground excavation and reinstatement is completed by South Staffs and Cambridge Water in a footpath or carriageway (made ground)

Location	Condition	Material	OD size (mm)	Cost per m (£)	Weekday out of hours (£)	Weekend out of hours (£)
		HPPE	63	£109.34	£145.42	£166.20
		HPPE	90	£113.69	£151.21	£172.82
		HPPE	125	£121.90	£162.13	£185.29
Faataath	Pipework	HPPE	180	£136.20	£181.15	£207.03
Footpath	Non Contaminated	HPPE	225	£263.37	£350.29	£400.33
		HPPE	280	£301.25	£400.66	£457.90
		HPPE	315	£318.91	£424.15	£484.74
		HPPE	355	£341.86	£454.67	£519.63
		ALPE	63	£130.03	£172.94	£197.64
		ALPE	90	£133.44	£177.47	£202.82
Footpath	Pipework Contaminated	ALPE	125	£161.02	£214.16	£244.76
	contaminated	ALPE	180	£178.45	£237.34	£271.25
		ALPE	225	£379.93	£505.31	£577.50
		HPPE	63	£151.87	£201.98	£230.84
		HPPE	90	£159.09	£211.59	£241.82
	Pipework	HPPE	125	£167.30	£222.50	£254.29
Carriageway	Non	HPPE	180	£181.60	£241.53	£276.03
	Contaminated	HPPE	225	£301.43	£400.90	£458.17
		НРРЕ	280	£339.31	£451.28	£515.75
		HPPE	315	£356.97	£474.77	£542.59

Location	Condition	Material	OD size (mm)	Cost per m (£)	Weekday out of hours (£)	Weekend out of hours (£)
		HPPE	355	£379.92	£505.29	£577.48
		ALPE	63	£175.42	£233.31	£266.64
		ALPE	90	£178.83	£237.84	£271.82
Carriageway	Pipework Contaminated	ALPE	125	£206.42	£274.54	£313.76
	Contaminated	ALPE	180	£223.85	£297.72	£340.25
		ALPE	225	£417.99	£555.93	£635.35

Pipework with an OD size above the sizes shown in table A3.5 is typically associated with complex larger schemes and will be quoted on application.

Table A3.6 Fittings charges where the ground excavation and reinstatement is completed by South Staffs and Cambridge Water in a footpath or carriageway (made ground)

Location	Condition	OD size (mm)	Each (£)	Weekday out of hours (£)	Weekend out of hours (£)
		63	£269.03	£357.81	£408.93
		90	£261.63	£347.97	£397.68
	Fittings	125	£314.22	£417.92	£477.62
Development	eg. sluice valve, wash out, bends	180	£486.95	£647.64	£740.16
Site/Footpath/Carriageway		225	£785.73	£1,045.02	£1,194.31
		280	£898.69	£1,195.26	£1,366.01
		315	£1,030.84	£1,371.02	£1,566.88
		355	£1,172.03	£1,558.80	£1,781.48

Table A3.7 Mains connection charges (connect to existing main) where the ground excavation and reinstatement is not completed by South Staffs and Cambridge Water

Item	Material	OD size (mm)	Each (£)	Weekday out of hours (£)	Weekend out of hours (£)
	HPPE/ALPE	63	£602.63	£801.50	£916.00
	HPPE/ALPE	90	£700.67	£931.88	£1,065.01
Lay only	HPPE/ALPE	125	£905.13	£1,203.83	£1,375.80
	HPPE/ALPE	180	£1,027.93	£1,367.15	£1,562.45
	HPPE/ALPE	225	£1,149.96	£1,529.45	£1,747.94

Item	Material	OD size (mm)	Each (£)	Weekday out of hours (£)	Weekend out of hours (£)
	HPPE/ALPE	280	£1,463.80	£1,946.86	£2,224.98
	HPPE/ALPE	300	£1,453.69	£1,933.41	£2,209.61
	HPPE/ALPE	315	£2,361.51	£3,140.80	£3,589.49
	HPPE/ALPE	350	£2,500.81	£3,326.07	£3,801.23
	HPPE/ALPE	355	£2,622.84	£3,488.38	£3,986.72
	HPPE/ALPE	400	£2,701.47	£3,592.96	£4,106.24

Table A3.8 Mains connection charges (connect to existing main) where the ground excavation and reinstatement is completed by South Staffs and Cambridge Water in the verge/development site

Item	Condition	Material	OD size (mm)	Each (£)	Weekday out of hours (£)	Weekend out of hours (£)
		HPPE/ALPE	63	£776.31	£1,032.49	£1,179.98
		HPPE/ALPE	90	£874.34	£1,162.87	£1,328.99
		HPPE/ALPE	125	£1,078.81	£1,434.81	£1,639.79
	Non Contaminated	HPPE/ALPE	180	£1,396.88	£1,857.86	£2,123.26
		HPPE/ALPE	225	£1,518.92	£2,020.16	£2,308.75
Verge		HPPE/ALPE	280	£1,832.76	£2,437.56	£2,785.79
		HPPE/ALPE	300	£1,822.65	£2,424.12	£2,770.42
		HPPE/ALPE	315	£3,250.63	£4,323.34	£4,940.95
		HPPE/ALPE	350	£3,389.93	£4,508.60	£5,152.69
		HPPE/ALPE	355	£3,511.96	£4,670.91	£5,338.18
		HPPE/ALPE	400	£3,590.60	£4,775.49	£5,457.71

Table A3.9 Mains connection charges (connect to existing main) where the ground excavation and reinstatement is completed by South Staffs and Cambridge Water in the footpath

Item	Material	OD size (mm)	Each (£)	Weekday out of hours (£)	Weekend out of hours (£)
Footpath	HPPE/ALPE	63	£904.79	£1,203.37	£1,375.28
Footpath	HPPE/ALPE	90	£1,002.82	£1,333.75	£1,524.29

Item	Material	OD size (mm)	Each (£)	Weekday out of hours (£)	Weekend out of hours (£)
	HPPE/ALPE	125	£1,207.29	£1,605.69	£1,835.08
	HPPE/ALPE	180	£1,570.05	£2,088.17	£2,386.48
	HPPE/ALPE	225	£1,692.09	£2,250.48	£2,571.97
	HPPE/ALPE	280	£2,005.93	£2,667.88	£3,049.01
	HPPE/ALPE	300	£1,995.82	£2,654.44	£3,033.64
	HPPE/ALPE	315	£4,534.23	£6,030.52	£6,892.02
	HPPE/ALPE	350	£4,673.52	£6,215.79	£7,103.76
	HPPE/ALPE	355	£4,795.56	£6,378.09	£7,289.25
	HPPE/ALPE	400	£4,874.19	£6,482.68	£7,408.77

Table A3.10 Mains connection charges (connect to existing main) where the ground excavation and reinstatement is completed by South Staffs and Cambridge Water in the carriageway

Item	Material	OD size (mm)	Each (£)	Weekday out of hours (£)	Weekend out of hours (£)
	HPPE/ALPE	63	£1,078.09	£1,433.86	£1,638.70
	HPPE/ALPE	90	£1,176.13	£1,564.25	£1,787.71
	HPPE/ALPE	125	£1,380.59	£1,836.19	£2,098.50
	HPPE/ALPE	180	£1,741.70	£2,316.46	£2,647.38
	HPPE/ALPE	225	£1,863.73	£2,478.76	£2,832.87
Carriageway	HPPE/ALPE	280	£2,177.57	£2,896.17	£3,309.91
	HPPE/ALPE	300	£2,167.46	£2,882.72	£3,294.54
	HPPE/ALPE	315	£5,498.72	£7,313.30	£8,358.06
	HPPE/ALPE	350	£5,638.02	£7,498.57	£8,569.79
	HPPE/ALPE	355	£5,760.06	£7,660.87	£8,755.28
	HPPE/ALPE	400	£5,838.69	£7,765.46	£8,874.81

Table A3.11 Trial hole charges

Item	Location	Size limited to	Each (£)	Weekday out of hours (£)	Weekend out of hours (£)
Trial Hole	Unmade	1m³	£245.08	£325.96	£372.52

Item	Location	Size limited to	Each (£)	Weekday out of hours (£)	Weekend out of hours (£)
	Footpath	1m³	£314.65	£418.49	£478.27
	Carriageway	1m³	£549.51	£730.85	£835.26

Table A3.12 Line stop charges

Item	Charge	Weekday out of hours (£)	Weekend out of hours (£)
Single line stop	£4,546.72	£6,047.14	£6,911.02
Double line stop	£9,092.15	£12,092.56	£13,820.07
Concrete for line stops	£560.32/m ³		

Table A3.13 Under pressure mains (branch) connection charges – normal weekday working hours

Under pressure connections	Made ground (inc. excavation and reinstatement by SSC)	Unmade ground (inc. excavation and reinstatement by SSC)	Lay only (excavation and reinstatement by others)
63mm diameter	£1,347.52	£1,147.76	£974.09
80mm diameter	£1,377.86	£1,147.76	£974.09
90mm diameter	£1,445.62	£1,216.21	£1,042.53
100mm diameter	£1,445.62	£1,216.21	£1,042.53
110mm diameter	£1,539.25	£1,310.78	£1,137.11
125mm diameter	£1,539.25	£1,310.78	£1,137.11
150mm diameter	£1,539.25	£1,310.78	£1,137.11
160mm diameter	£2,433.98	£2,170.97	£1,802.02
180mm diameter	£2,634.28	£2,373.29	£2,004.34
200mm diameter	£2,634.28	£2,373.29	£2,004.34
225mm diameter	£2,744.56	£2,484.68	£2,115.73
250mm diameter	£2,744.56	£2,484.68	£2,115.73
280mm diameter	£2,792.56	£2,533.17	£2,164.22
300mm diameter	£2,792.56	£2,533.17	£2,164.22
315mm diameter	£5,069.44	£3,742.94	£2,858.87
350mm diameter	£5,519.67	£4,197.72	£3,313.65

355mm diameter	£5,519.67	£4,197.72	£3,313.65
400mm diameter	£5,726.72	£4,406.86	£3,522.79
450mm diameter	£6,062.02	£4,745.55	£3,861.48
500mm diameter	£6,264.56	£4,950.13	£4,066.06
600mm diameter	£6,444.60	£5,131.99	£4,247.92

Table A3.14 Under pressure mains (branch) connection charges – weekday out of hours

Under pressure connections	Made ground (inc. excavation and reinstatement by SSC)	Unmade ground (inc. excavation and reinstatement by SSC)	Lay only (excavation and reinstatement by others)
63mm diameter	£1,792.21	£1,526.52	£1,295.54
80mm diameter	£1,832.56	£1,526.52	£1,295.54
90mm diameter	£1,922.68	£1,617.55	£1,386.57
100mm diameter	£1,922.68	£1,617.55	£1,386.57
110mm diameter	£2,047.21	£1,743.34	£1,512.36
125mm diameter	£2,047.21	£1,743.34	£1,512.36
150mm diameter	£2,047.21	£1,743.34	£1,512.36
160mm diameter	£3,237.20	£2,887.39	£2,396.68
180mm diameter	£3,503.60	£3,156.48	£2,665.77
200mm diameter	£3,503.60	£3,156.48	£2,665.77
225mm diameter	£3,650.26	£3,304.62	£2,813.91
250mm diameter	£3,650.26	£3,304.62	£2,813.91
280mm diameter	£3,714.11	£3,369.12	£2,878.41
300mm diameter	£3,714.11	£3,369.12	£2,878.41
315mm diameter	£6,742.36	£4,978.11	£3,802.30
350mm diameter	£7,341.16	£5,582.97	£4,407.15
355mm diameter	£7,341.16	£5,582.97	£4,407.15
400mm diameter	£7,616.53	£5,861.12	£4,685.31
450mm diameter	£8,062.49	£6,311.58	£5,135.77
500mm diameter	£8,331.86	£6,583.68	£5,407.86
600mm diameter	£8,571.32	£6,825.55	£5,649.74

Under pressure connections	Made ground (inc. excavation and reinstatement by SSC)	Unmade ground (inc. excavation and reinstatement by SSC)	Lay only (excavation and reinstatement by others)
63mm diameter	£2,048.24	£1,744.60	£1,480.61
80mm diameter	£2,094.35	£1,744.60	£1,480.61
90mm diameter	£2,197.35	£1,848.63	£1,584.65
100mm diameter	£2,197.35	£1,848.63	£1,584.65
110mm diameter	£2,339.66	£1,992.39	£1,728.41
125mm diameter	£2,339.66	£1,992.39	£1,728.41
150mm diameter	£2,339.66	£1,992.39	£1,728.41
160mm diameter	£3,699.66	£3,299.88	£2,739.07
180mm diameter	£4,004.11	£3,607.41	£3,046.60
200mm diameter	£4,004.11	£3,607.41	£3,046.60
225mm diameter	£4,171.72	£3,776.71	£3,215.90
250mm diameter	£4,171.72	£3,776.71	£3,215.90
280mm diameter	£4,244.69	£3,850.42	£3,289.61
300mm diameter	£4,244.69	£3,850.42	£3,289.61
315mm diameter	£7,705.55	£5,689.27	£4,345.49
350mm diameter	£8,389.90	£6,380.53	£5,036.75
355mm diameter	£8,389.90	£6,380.53	£5,036.75
400mm diameter	£8,704.61	£6,698.42	£5,354.64
450mm diameter	£9,214.27	£7,213.23	£5,869.45
500mm diameter	£9,522.13	£7,524.20	£6,180.41
600mm diameter	£9,795.80	£7,800.63	£6,456.84

Table A3.15 Under pressure mains (branch) connection charges – weekend out of hours

Table A3.16 Chlorination and pressure testing charge

Chlorination and pressure testing	Post connection sample
£557.88	£361.16

Table A3.17 GPS surveying

GPS surveying
£298.05

At the point that this document was published SLPs cannot operate valves on our existing network or in a position where the valve operation could impact existing customers in our region (see our Annual Contestability Summary¹¹). However, should we review this stance we would require SLP operatives to attend industry accredited calm networks training. We have our own training and the charge for this is shown below (per person). This charge reflects the cost we incur when a South Staffs Water/Cambridge Water employee attends this training as well as the cost incurred by our contractors if they attend this training.

Table A3.18 Calm networks training charge

Calm networks training charge	
£300.00	

¹¹ https://www.south-staffs-water.co.uk/media/4510/sst-annual-contestability-summary.pdf

Appendix 3: Service connection charges

A3.1 Service connections up to 32mm

These connections are best suited for individual properties or small new developments or on larger sites that connect to existing mains.

A standard service connection applies to connections in adopted and other surfaced roads. The developer excavates and lays the service pipe to the highway boundary, leaving at least one metre of labelled pipe to be connected to the main. Unless being completed by a SLP we then:

- provide and fit a boundary box,
- excavate to the main,
- lay the service pipe,
- tap the main,
- backfill and reinstate the highway, and
- fit the meter.

We will typically specify 25mm connections for household premises as well as for some nonhousehold and property conversions. 32mm service connections are typically specified for non-household premises as well as property conversions, fire fighting supplies, temporary supplies and households with a fire sprinkler.

Table A4.1 Standard service connections up to 32mm

Standard service connection in the highway, up to 32mm	Made ground	Unmade ground or lay only
Single connection, up to 2m in length	£1,098.50	£411.94
Each additional metre of pipe work	£328.15	£181.97
Single connection, up to 2m in length (contaminated ground)	£1,273.32	£651.56
Each additional metre of pipe work (contaminated ground)	£330.66	£184.48

Note: The rates above do not include meter costs, see table A4.4 for meter charges.

A3.2 Manifold connections

These are best suited to situations where a number of new service connections are required on in-fill or small new developments. To avoid the need for multiple service connections, we will use a manifold in the form of a twin, four-way or six-way connection.

Table A4.2 Manifold connections

Manifold connection	Made ground	Unmade ground or lay only
Twin connection, up to 2m in length	£1,430.73	£657.79
Each additional metre of pipe work (32mm)	£328.15	£181.97
Twin connection, up to 2m in length (contaminated ground)	£1,503.73	£730.79
Each additional metre of pipe work (contaminated ground) (32mm)	£330.66	£184.48
Four-way connection, up to 2m in length	£2,118.94	£1,271.55
Each additional metre of pipe work (63mm)	£329.65	£183.47
Four-way connection, up to 2m in length (contaminated ground)	£2,132.76	£1,285.37
Each additional metre of pipe work (contaminated ground)(63mm)	£336.56	£190.38
Six-way connection, up to 2m in length	£2,169.11	£1,321.72
Each additional metre of pipe work (63mm)	£329.65	£183.47
Six-way connection, up to 2m in length (contaminated ground)	£2,182.93	£1,335.54
Each additional metre of pipe work (contaminated ground) (63mm)	£336.56	£190.38

Note: The rates above do not include meter costs, see table A4.5 for meter charges.

A3.4 Services connections larger than 32mm

These connections are most suitable for commercial premises or where water for firefighting may be a requirement. For these connections, we will install temporary hydrants to allow for commissioning of the new pipe, and pressure and water quality testing by the customer. Once the tests have been completed successfully, we will remove the temporary hydrants and make the final connection to the premises.

Table A4.3 Service connections larger than 32mm

Service connections larger than 32mm	Made ground	Unmade ground or lay only
40–63mm single connection, up to 2m in length – with brick chamber	£5,045.09	£4,188.03
40–63mm single connection, up to 2m in length – with boundary box	£2,168.48	£1,311.41

Service connections larger than 32mm	Made ground	Unmade ground or lay only
Each additional metre of pipe work	£329.65	£183.47
40–63mm single connection, up to 2m in length (contaminated ground) – with brick chamber	£5,663.60	£4,806.54
40–63mm single connection, up to 2m in length (contaminated ground) – with boundary box	£2,854.97	£1,997.91
Each additional metre of pipe work (contaminated ground)	ind) £336.56 £190	
Brick Chamber – Verge/Development Site	£2,308.22	
Brick Chamber – Footpath	£2,769.87	
Brick Chamber - Carriageway	£3,277.67	
Non Return Valves – Fire supplies only		
≤80mm	£173	3.98
100mm	£194.40	
150mm	£326.03	
200mm	ΡΟΑ	
250mm	POA	
300mm	РОА	

Note: The rates above do not include meter costs, see table A4.5 for meter charges.

Table A4.4 Service connections at weekends

These charges are used when we are required to complete service connections at weekends. We will charge the core weekend team charge (per day shown at the top of the table below) plus the relevant charge for the specific connection type (shown below the weekend team charge in the table below).

Service connections	Diameter	Condition	Ground type	Charge
Weekend team (day)				£1,461.23
Single connection, up to 2m in length	Up to 32mm	Non contaminated	Made ground	£187.59
Single connection, up to 2m in length	Up to 32mm	Non contaminated	Unmade ground / lay only	£19.35
Each additional metre of pipe work	Up to 32mm	Non contaminated	Made ground	£25.71

Service connections	Diameter	Condition	Ground type	Charge
Each additional metre of pipe work	Up to 32mm	Non contaminated	Unmade ground / lay only	£0.47
Single connection, up to 2m in length	Up to 32mm	Contaminated	Made ground	£207.31
Single connection, up to 2m in length	Up to 32mm	Contaminated	Unmade ground / lay only	£39.07
Each additional metre of pipe work	Up to 32mm	Contaminated	Made ground	£27.80
Each additional metre of pipe work	Up to 32mm	Contaminated	Unmade ground / lay only	£2.56
Twin connection, up to 2m in length	Up to 32mm	Non contaminated	Made ground	£212.51
Twin connection, up to 2m in length	Up to 32mm	Non contaminated	Unmade ground / lay only	£44.27
Each additional metre of pipe work	Up to 32mm	Non contaminated	Made ground	£25.71
Each additional metre of pipe work	Up to 32mm	Non contaminated	Unmade ground / lay only	£0.47
Twin connection, up to 2m in length	Up to 32mm	Contaminated	Made ground	£273.37
Twin connection, up to 2m in length	Up to 32mm	Contaminated	Unmade ground / lay only	£105.13
Each additional metre of pipe work	Up to 32mm	Contaminated	Made ground	£27.80
Each additional metre of pipe work	Up to 32mm	Contaminated	Unmade ground / lay only	£2.56
Four-way connection, up to 2m in length	Up to 63mm	Non contaminated	Made ground	£546.60
Four-way connection, up to 2m in length	Up to 63mm	Non contaminated	Unmade ground / lay only	£303.91

Service connections	Diameter	Condition	Ground type	Charge
Each additional metre of pipe work	Up to 63mm	Non contaminated	Made ground	£26.96
Each additional metre of pipe work	Up to 63mm	Non contaminated	Unmade ground / lay only	£1.72
Four-way connection, up to 2m in length	Up to 63mm	Contaminated	Made ground	£558.12
Four-way connection, up to 2m in length	Up to 63mm	Contaminated	Unmade ground / lay only	£315.43
Each additional metre of pipe work	Up to 63mm	Contaminated	Made ground	£32.72
Each additional metre of pipe work	Up to 63mm	Contaminated	Unmade ground / lay only	£7.48
Six-way connection, up to 2m in length	Up to 63mm	Non contaminated	Made ground	£588.43
Six-way connection, up to 2m in length	Up to 63mm	Non contaminated	Unmade ground / lay only	£345.74
Each additional metre of pipe work	Up to 63mm	Non contaminated	Made ground	£26.96
Each additional metre of pipe work	Up to 63mm	Non contaminated	Unmade ground / lay only	£1.72
Six-way connection, up to 2m in length	Up to 63mm	Contaminated	Made ground	£599.95
Six-way connection, up to 2m in length	Up to 63mm	Contaminated	Unmade ground / lay only	£357.26
Each additional metre of pipe work	Up to 63mm	Contaminated	Made ground	£32.72
Each additional metre of pipe work	Up to 63mm	Contaminated	Unmade ground / lay only	£7.48
Single connection, up to 2m in length – brick chamber	40-63mm	Non contaminated	Made ground	£2,735.84

Service connections	Diameter	Condition	Ground type	Charge
Single connection, up to 2m in length – brick chamber	40-63mm	Non contaminated	Unmade ground / lay only	£2,483.47
Single connection, up to 2m in length – boundary box	40-63mm	Non contaminated	Made ground	£337.43
Single connection, up to 2m in length – boundary box	40-63mm	Non contaminated	Unmade ground / lay only	£85.06
Each additional metre of pipe work	40-63mm	Non contaminated	Made ground	£26.96
Each additional metre of pipe work	40-63mm	Non contaminated	Unmade ground / lay only	£1.72
Single connection, up to 2m in length – brick chamber	40-63mm	Contaminated	Made ground	£2,747.36
Single connection, up to 2m in length – brick chamber	40-63mm	Contaminated	Unmade ground / lay only	£2,494.99
Single connection, up to 2m in length – boundary box	40-63mm	Contaminated	Made ground	£405.63
Single connection, up to 2m in length – boundary box	40-63mm	Contaminated	Unmade ground / lay only	£153.26
Each additional metre of pipe work	40-63mm	Contaminated	Made ground	£32.72
Each additional metre of pipe work	40-63mm	Contaminated	Unmade ground / lay only	£7.48

A3.5 Meters

Our service connection charges above do not include for the cost of a meter. The charges in the table below cover this cost. The meter fitting charge is only applicable where we are attending site to solely fit meters, where we are already attending site to lay the communication pipe we will not charge a meter fitting charge.

Table A4.5 meter charges

Meter	Charge
Standard size 15mm meter (internal or external)	£44.47
20mm meter (where larger demands are present)	£63.50
25mm meter (where larger demands are present)	£142.39
30mm meter	£157.65
40mm meter	£175.45
50mm meter	£322.92
80mm meter	£359.79
100mm meter	£414.46
Meter fitting charge	£48.23

The meter charges in table A4.5 cover the standard connection scenarios, if a larger meter is required this will be quoted on application.

A3.6 Traffic management

The following traffic management costs apply both to the service connections completed in the highway and mains laying schemes, where appropriate.

Table A4.6 Traffic lights

Traffic management – lights	Per day (weekday within hours)	Weekday out of hours	Weekend out of hours
Two-way lights – install	£0.00	£477.82	£528.68
Three-way lights - day 1/install	£594.72	£778.32	£884.03
Three-way lights – each day thereafter	£38.36		
Four-way lights – day 1/install	£657.07	£859.66	£976.31
Four-way lights – each day thereafter		£43.15	

Table A4.7 Traffic lights under manual control

Traffic management	Per day (weekday	Weekday out of	Weekend out of
	within hours)	hours	hours
Two-way lights (under manual control) – install	£329.95	£686.00	£736.86

Three-way lights (under manual control) – day 1/install	£924.68	£1,217.16	£1,385.56
Three-way lights (under manual control) – each day thereafter	£82.36	£438.41	£489.27
Four-way lights (under manual control) – day 1/install	£987.02	£1,298.50	£1,477.83
Four-way lights (under manual control) – each day thereafter	£87.15	£443.20	£494.06

Table A4.8 Site-specific charges

ltem	Cost	Weekday out of hours	Weekend out of hours
Diversion cost (set up and dismantle)	£1,362.19	£1,555.91	£1,667.44
Diversion daily charge	£36.91	N/A	N/A
Advanced warning signs (AWS)	£94.03	N/A	N/A
Parking cones – one side of the road x 2 hrs	£105.32	£140.08	£160.09
Road plates (2 plates per day)	£98.77	N/A	N/A
Replace liner road marking (per m)	£27.44	N/A	N/A
Replace letter/symbol road marking (each)	£447.88	N/A	N/A
Replace speed bump (per m ²)	£477.82	N/A	N/A
Take up and relay existing edging kerb (per m)	£16.50	N/A	N/A
Take up and dispose existing edging kerb supply and lay new (per m)	£23.39	N/A	N/A
Reinstatement of block pavers (m ²)	£110.23	N/A	N/A
Mini digger (per day)	£138.40	N/A	N/A
Anti-skid tarmac (per m ²)	£253.22	N/A	N/A
Vacuum excavation (per day)	£1,987.91	N/A	N/A
Suspension of existing traffic lights (per suspension)	£820.38	N/A	N/A
Suspension of parking bay - council fee (per bay)	£228.48	N/A	N/A
Suspension of parking bay – our fee (per bay)	£24.76	N/A	N/A

Welfare unit (per week)	£455.93	N/A	N/A
Dumper and grab vehicle (per day)	£1,121.63	N/A	N/A
Hydraulic breaker (per day)	£165.95	N/A	N/A
UPT/drill (per day)	£1,029.74	N/A	N/A
Pipe insertion by slip lining (per m)	£109.00	N/A	N/A
Traffic management visits (per visit)	£85.68	N/A	N/A
Launch and reception pits – lay only	£548.07	N/A	N/A
Launch and reception pits – unmade ground	£685.01	N/A	N/A
Launch and reception pits – footpath	£769.70	N/A	N/A
Launch and reception pits – carriageway	£1,171.20	N/A	N/A
Full survey and CAD (per CAD)	£180.86	N/A	N/A
Amendment to CAD (per CAD)	£88.06	N/A	N/A

A3.7 Local authority costs

In addition to our charges there may also be local authority costs when working in the highway, typically for road closures. We will include these costs within our quotes however we do not publish these as the costs for each local authority vary and they can change within a charging year. Please consult directly with your local authority to understand what their highway charges are.

A3.8 Miscellaneous charges

Table A4.9 Miscellaneous charges

Miscellaneous charges	Cost
Re-inspection fee where pipework does not meet regulations or is not ready for inspection. This charge will also be used where a network inspector visit is required.	£48.23
Aborted site visit to carry out a service connection	£907.05
Charge for late supply of meter details (to reflect the charge SSW/CW incurs from entering account information into the non-household market late as a result)	£40.00

A3.8.1 Defects

Where defects are identified on-site and where we are required to carry out work to correct defects (after the developer customer has had the chance to correct already) we will charge for this activity and this charge will be specific to the activity undertaken.

A3.8.2 Non standard reinstatement

There are circumstances such as where the local council place specific reinstatement requirements on work within the highway (section 58) or such where we have to reinstate specific block paving. Where this is the case, we will typically let you know at the quote stage and these charges will be specific to the activity undertaken.

A3.8.3 Other party visits

There are circumstances where third parties are required to attend site and these site visits incur a charge. The third parties include other utilities and those managing the railway where we are working nearby their apparatus.

Appendix 4: Worked examples

We have prepared the following examples to show the typical charges paid by developer customers for each scenario. The examples have been produced in line with the 'Common Terms and Worked Examples - English New Connection Rules' as issued by Ofwat in October 2021.

Wastewater charges have not been included as we are a water only company.

All charges are net of VAT. The format of the examples are in line with our regulatory requirements and for this reason do not reflect how our quotes are formatted.

Scenario 1: Single connection to a house from an existing main (service connection)

This worked example provides charges for a single connection to an existing water main of 90mm diameter polyethylene (PE).

Within construction costs, this includes: Service pipe installation; Boundary box fitting; Meter installation; Excavation; Reinstatement

Pipework:

- 25 32mm diameter PE pipe (made ground)
- 4m pipework in road (made ground)

Traffic management assumes the road (Type 3-4) is 40mph, has two lanes and does not require a road closure or lane closure. Two-way automated lights are required. There is also an assumption that the only payable council charges are for permitting. A fee of £72.50 has been assumed for council permitting which is an average of permits across our region.

This example assumes that all contestable activities are undertaken by the Self Lay provider in the alternative delivery option.

		Scenario 1: S	ingle connect	tion to a hous	e from an exi	sting main				e Delivery hod
Applicable Charge?	ltem	Unit	Qty	Rate (£)	Total Charge (£)	Barrier Pipe Uplift/Rate	Barrier Pipe Total Charge (£)	Contestable? (Y/N)	Self-Lay Rate (£)	Self-Lay Total Charge (£)
	Pre-Constructio	n Charges								
Y	Application Fee	Per application	1	170.00	170.00	170.00	170.00	N	170.00	170.00
N	Administration Fee	Per application	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
N	Design Fee	Per application	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Construction Ch	arges								
Y	Connection (inc. 2m pipework)	Per connection	1	1,098.50	1,098.50	1,273.32	1,273.32	Y	0.00	0.00
N	Connection sub-charge 1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
N	Connection sub-charge 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Y	Pipework - Road	Per metre	2	328.15	656.30	330.66	661.31	Y	0.00	0.00
Y	Traffic Management	Per TM usage	1	0.00	0.00	0.00	0.00	Y	0.00	0.00

		Scenario 1: S	ingle connect	tion to a hous	e from an exi	sting main				Alternative Delivery Method		
Applicable Charge?	ltem	Unit	Qty	Rate (£)	Total Charge (£)	Barrier Pipe Uplift/Rate	Barrier Pipe Total Charge (£)	Contestable? (Y/N)	Self-Lay Rate (£)	Self-Lay Total Charge (£)		
Y	Meters	Per connection	1	44.47	44.47	44.47	44.47	N/A	44.47	44.47		
	Other Charges											
Y	Council permit	Per permit	1	72.50	72.50	72.50	72.50	Y	0.00	0.00		
	Infrastructure c	harges										
Y	Infrastructure Charge – Water	Per property	1	305.00	305.00	305.00	305.00	N	305.00	305.00		
N	Infrastructure Charge - Sewerage	Per property	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
	Income offset											
Y	Income Offset – Water	Per property	1	-834.50	-834.50	-834.50	-834.50	N	-834.50	-834.50		
Ν	Income Offset - Sewerage	Per property	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
	TOTALS				1,512.27		1,692.11			-315.02		

Scenario 2: Connections to block of flats from an existing main

This worked example provides charges for a block of 10 flats to be connected to an existing main of 90mm diameter PE. Each flat would be

individually metered using a four-way manifold and a six-way manifold.

Within construction costs, this includes: Service pipe installation; Boundary box fitting; Meter installation; Excavation; Reinstatement

Pipework:

- 63mm diameter PE pipe
- 4m pipework in road, 4m pipework in unmade ground for four-way manifold
- 4m pipework in road, 4m pipework in unmade ground for six-way manifold

Traffic management assumes the road (Type 3-4) is 40mph, has two lanes and does not require a road closure or lane closure. Two-way automated lights are required. There is also an assumption that the only payable council charges are for permitting. A fee of £72.50 has been assumed for council permitting which is an average of permits across our region.

This example assumes that all contestable activities are undertaken by a Self Lay provider in the alternative delivery option (including for the NAV option) including meter fitting, laying of pipework and traffic management.

This example assumes that the excavation and reinstatement of the non-contestable connection works will be completed by South Staffs and Cambridge Water.

The NAV application fee reflects the fee payable for a bulk supply offer.

The fees shown in the alternative delivery method cells reflect non barrier pipe materials.

	Scenari	o 2: Single conr	nection	to block of fla	ts from an e	xisting mair	ı		А	lternative Del	ivery Method	
Applicable Charge?	Item	Unit	Qty	Rate (£)	Total Charge (£)	Barrier Pipe Uplift/ Rate	Barrier Pipe Total Charge (£)	Contes table? (Y/N)	Self-Lay Rate (£)	Self-Lay Total Charge (£)	NAV rate (£)	NAV total charge (£)
	Pre-Constructio	on Charges										
Y	Application Fee	Per application	1	170.00	170.00	170.00	170.00	N	170.00	170.00	483.00	483.00
N	Administratio n Fee	Per application	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
N	Design Fee	Per application	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Construction Cl	harges										
Y	Connection (four way manifold inc. 2m pipework)	Per connection	1	1,271.55	1,271.55	1,285.37	1,285.37	N	1,271.55	1,271.55	1,271.55	1,271.55
Y	Connection sub-charge 1 (six way manifold inc. 2m pipework)	Per connection	1	1,321.72	1,321.72	1,335.54	1,335.54	N	1,321.72	1,321.72	1,321.72	1,321.72
Y	Connection sub-charge 2 Pipework – Unmade for four way manifold	Per metre	4	183.47	733.88	190.38	761.52	Y	0.00	0.00	0.00	0.00

	Scenario	o 2: Single conr	ection	to block of fla	ts from an e	existing mair	1		А	lternative Del	ivery Method	
Applicable Charge?	Item	Unit	Qty	Rate (£)	Total Charge (£)	Barrier Pipe Uplift/ Rate	Barrier Pipe Total Charge (£)	Contes table? (Y/N)	Self-Lay Rate (£)	Self-Lay Total Charge (£)	NAV rate (£)	NAV total charge (£)
Y	Connection sub-charge 3 Pipework – Unmade for six way manifold	Per metre	4	183.47	733.88	190.38	761.52	Y	0.00	0.00	0.00	0.00
N	Connection sub-charge 4	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Y	Pipework – Road for four way manifold	Per metre	2	329.65	659.30	336.56	673.12	Y	0.00	0.00	0.00	0.00
Y	Pipework sub-charge 1– Road for six way manifold	Per metre	2	329.65	659.30	336.56	673.12	Y	0.00	0.00	0.00	0.00
Y	Traffic Management	Per TM usage	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Y	Meters	Per connection	10	44.47	444.70	44.47	444.70	N/A	44.47	444.70	0.00	0.00
	Other Charges											
Y	Council permit	Per permit	1	72.50	72.50	72.50	72.50	Y	72.50	72.50	72.50	72.50
	Infrastructure c	harges										

	Scenari	o 2: Single conn	ection	to block of fla	ts from an e	xisting mair	ı		A	lternative Del	ivery Method	
Applicable Charge?	Item	Unit	Qty	Rate (£)	Total Charge (£)	Barrier Pipe Uplift/ Rate	Barrier Pipe Total Charge (£)	Contes table? (Y/N)	Self-Lay Rate (£)	Self-Lay Total Charge (£)	NAV rate (£)	NAV total charge (£)
Y	Infrastructure Charge – Water	Per property	10	305.00	3,050.00	305.00	3,050.00	N	305.00	3,050.00	305.00	3,050.00
N	Infrastructure Charge - Sewerage	Per property	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Income offset											
Y	Income Offset – Water	Per property	10	-834.50	-8,345.00	-834.495	-8,345.00	N	-834.50	-8,345.00	-834.50	-8,345.00
N	Income Offset - Sewerage	Per property	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	TOTALS				771.83		882.40			-2,014.53		۔ 2,146.23

Scenario 3: Medium housing development requiring new mains and communication pipes (excavation and reinstatement by others)

This worked example provides charges associated with the provision of new water mains and individual connections from them for each of 50 new houses. This worked example assumes excavation and reinstatement activities are completed by others, except for the excavation leading to the connection to the existing water main.

Within construction costs, this includes: Mains laying; Service pipe installation; Boundary box fitting; Meter installation

Technical Specification (Services) Pipework (no excavation):	Technical Specification (Mains) Pipework: Total length 300m, excluding excavation, consisting of:	
 Connection to Existing Main of 180mm diameter PE 3m pipework laying (per communication pipe – lay only) 	 125mm diameter PE – 10m road type 3-4 road (leading to the point of connection to an existing water main) 125mm diameter PE – 190m 90mm diameter PE – 100m 	

Design Considerations:

- 180mm diameter existing main, serving 150 existing customers
- Three commissioning phases
- Three sample chlorination and connections footpath
- One trial hole unmade ground
- SSC carrying out design

Fittings across length of mains:

- Four 125mm washouts unmade ground
- Five valves (1 x 150mm, 3 x 100mm, 1 x 80mm) unmade ground

Fittings at mains connection:

- Two fittings (single rate for valves, wash outs, tee's and bends in our charges)
- One back-to-back

Traffic management assumes the road (Type 3-4) is 50mph, has two lanes and requires a road closure and eight parking pay suspensions. Any additional council charges for permitting should be included. A fee of £72.50 has been assumed for council permitting which is an average of permits across our region. The road closure TTRO reflects an average cost across the councils within our region.

This example assumes that meter fitting, laying of pipework (services and mains) and traffic management (including council TTRO) are undertaken by a Self Lay provider in the alternative delivery option (including for the NAV option).

The NAV application fee reflects the fee payable for a bulk supply offer.

The fees shown in the alternative delivery method cells reflect non barrier pipe materials.

S	cenario 3: Medium				new mains an nt by others)	d communio	ation pipes			Alternative D	elivery Metho	d
Applicable Charge?	ltem	Unit	Qty	Rate (£)	Total Charge (£)	Barrier Pipe Uplift/ Rate	Barrier Pipe Total Charge (£)	Contest able? (Y/N)	Self-Lay Rate (£)	Self-Lay Total Charge (£)	NAV rate (£)	NAV total charge (£)
	Pre-Construction	Charges – con	nection	1								
N	Application Fee	Per application	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
N	Administration Fee	Per application	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
N	Design Fee	Per application	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/#
	Pre-Construction	Charges – mai	ins									
Y	Application Fee	Per application	1	483.00	483.00	483.00	483.00	N	483.00	483.00	483.00	483.00
N	Administration Fee	Per application	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
N	Design Fee	Per application	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Construction Cha	rges										
Y	Service connection	Per connection	50	411.94	20,597.00	651.56	32,578.00	Y	0.00	0.00	0.00	0.00
Y	Pipework	Per metre	50	181.97	9,098.50	184.48	9,224.00	Y	0.00	0.00	0.00	0.00
Y	Meter installation	Per meter	N/A	0.00	0.00	0.00	0.00	Y	0.00	0.00	0.00	0.00

S	Scenario 3: Medium housing development requiring new mains and communication pipes (excavation and reinstatement by others)										Alternative Delivery Method				
Applicable Charge?	ltem	Unit	Qty	Rate (£)	Total Charge (£)	Barrier Pipe Uplift/ Rate	Barrier Pipe Total Charge (£)	Contest able? (Y/N)	Self-Lay Rate (£)	Self-Lay Total Charge (£)	NAV rate (£)	NAV total charge (£)			
	Construction Cha	rges													
Y	Mains connection (under pressure)	Per connection	1	2,634.28	2,634.28	2,634.28	2,634.28	N	2,634.28	2,634.28	2,634.28	2,634.28			
Y	Mains sub- charge 1 (UPT drill)	Per day	2	1,029.82	2,059.64	1,029.82	2,059.64	N	1,029.82	2,059.64	1,029.82	2,059.64			
Y	Mains sub- charge 2 (back-to-back)	Per item	1	780.36	780.36	780.36	780.36	N	780.36	780.36	780.36	780.3			
Y	Mains sub- charge 3 (fittings associated with the mains connection)	Per fitting	2	306.29	612.58	306.29	612.58	N	306.29	612.58	306.29	612.5			
Y	Mains sub- charge 4 (mini digger – connection only)	Per day	1	138.40	138.40	138.40	138.40	N	138.40	138.40	138.40	138.4			

S	Scenario 3: Medium housing development requiring new mains and communication pipes (excavation and reinstatement by others)										Alternative Delivery Method				
Applicable Charge?	ltem	Unit	Qty	Rate (£)	Total Charge (£)	Barrier Pipe Uplift/ Rate	Barrier Pipe Total Charge (£)	Contest able? (Y/N)	Self-Lay Rate (£)	Self-Lay Total Charge (£)	NAV rate (£)	NAV total charge (£)			
Y	Mains sub- charge 5 (fittings on main 1 x 150mm valve	Per fitting	1	475.55	475.55	475.55	475.55	Y	0.00	0.00	0.00	0.00			
Y	Mains sub- charge 6 (fittings on main 3 x 100mm valve	Per fitting	3	306.29	918.87	306.29	918.87	Y	0.00	0.00	0.00	0.00			
Y	Mains sub- charge 7 (fittings on main 1 x 80mm valve	Per fitting	1	253.69	253.69	253.69	253.69	Y	0.00	0.00	0.00	0.00			
Y	Mains sub- charge 8 (fittings on main 4 x 125mm WO's	Per fitting	4	306.29	1,225.16	306.29	1,225.16	Y	0.00	0.00	0.00	0.00			
Y	Mains sub- charge 9 (trial hole)	Per item	1	245.08	245.08	245.08	245.08	Y	0.00	0.00	0.00	0.00			

S	cenario 3: Medium				new mains an nt by others)	d communio	cation pipes		Alternative Delivery Method				
Applicable Charge?	ltem	Unit	Qty	Rate (£)	Total Charge (£)	Barrier Pipe Uplift/ Rate	Barrier Pipe Total Charge (£)	Contest able? (Y/N)	Self-Lay Rate (£)	Self-Lay Total Charge (£)	NAV rate (£)	NAV total charge (£)	
Ŷ	Mains sub- charge 10 (mini digger – remainder of off-site main)	Per day	2	138.40	276.80	138.40	276.80	Y	0.00	0.00	0.00	0.00	
Y	Mains sub- charge 11 (road plates)	Per day	3	98.77	296.31	98.77	296.31	Y	0.00	0.00	0.00	0.00	
Y	Mains sub- charge 12 (post connection sample)	Per item	3	361.16	1,083.48	361.16	1,083.48	Y	0.00	0.00	0.00	0.00	
Y	Mains sub- charge 13 (chlorination and pressure testing)	Per item	3	557.88	1,673.64	557.88	1,673.64	Y	0.00	0.00	0.00	0.00	
Y	Mains sub- charge 14 (GPS surveying)	Per item	1	298.05	298.05	298.05	298.05	Y	0.00	0.00	0.00	0.00	
Ŷ	Pipework	Per metre	10	45.47	454.70	83.85	838.50	Y	0.00	0.00	0.00	0.00	

S	cenario 3: Medium				new mains an ent by others)	d communio	cation pipes		Alternative Delivery Method				
Applicable Charge?	ltem	Unit	Qty	Rate (£)	Total Charge (£)	Barrier Pipe Uplift/ Rate	Barrier Pipe Total Charge (£)	Contest able? (Y/N)	Self-Lay Rate (£)	Self-Lay Total Charge (£)	NAV rate (£)	NAV total charge (£)	
	125mm x 10m Lay only												
Y	Mains sub- charge 15 Pipework – 125mm x 190m Lay only	Per metre	190	45.47	8,639.30	83.85	15,931.50	Y	0.00	0.00	0.00	0.00	
Y	Mains sub- charge 16 Pipework – 90mm x 100m Lay only	Per metre	100	37.26	3,726.00	56.26	5,626.00	Y	0.00	0.00	0.00	0.00	
Y	Traffic Management (road closure council cost - TTRO)	Per TM usage	1	1,210.00	1,210.00	1,210.00	1,210.00	Y	0.00	0.00	0.00	0.00	
Y	Mains sub- charge 17 Council permit	Per TM usage	1	72.50	72.50	72.50	72.50	Y	72.50	72.50	72.50	72.50	
Y	Mains sub- charge 18	Per TM usage	1	1,362.19	1,362.19	1,362.19	1,362.19	Y	0.00	0.00	0.00	0.00	

S	cenario 3: Medium				new mains an ent by others)	d communio	ation pipes			Alternative D	elivery Metho	bd
Applicable Charge?	ltem	Unit	Qty	Rate (£)	Total Charge (£)	Barrier Pipe Uplift/ Rate	Barrier Pipe Total Charge (£)	Contest able? (Y/N)	Self-Lay Rate (£)	Self-Lay Total Charge (£)	NAV rate (£)	NAV total charge (£)
	Diversion for road closure											
Y	Mains sub- charge 19 Diversion daily charge	Per day	3	36.91	110.73	36.91	110.73	Y	0.00	0.00	0.00	0.00
	Other Charges											
Y	Meter	Per meter	50	44.47	2,223.50	44.47	2,223.50	N/A	44.47	2,223.50	0.00	0.00
Y	Infrastructure Charge – Water	Per property	50	305.00	15,250.00	305.00	15,250.00	N	305.00	15,250.00	305.00	15,250.00
Ν	Infrastructure Charge - Sewerage	Per property	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Income offset											
Y	Income Offset – Water	Per property	50	-834.50	-41,725.00	-834.50	-41,725.00	N	-834.50	-41,725.00	-834.50	-41,725.00
Ν	Income Offset - Sewerage	Per property	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	TOTALS				34,474.31		56,156.81			-17,470.74		-19,694.24

Scenario 4: Medium housing development requiring new mains and communication pipes (excavation and reinstatement by Water Company)

This worked example provides charges associated with the provision of new water mains and individual connections from them for each of 50 new houses. This worked example assumes that the excavation and reinstatement activities are completed by the Water Company. However, should the Developer appoint an SLP or NAV, this worked example assumes these (and other contestable items) would be carried out by the SLP or NAV.

Within construction costs, this includes: Mains laying; Service pipe installation; Boundary box fitting; Meter installation; Excavation; Reinstatement.

Technical Specification (Services) Pipework (unmade ground):Connection to existing main of 180mm diameter PE (under	Technical Specification (Mains) Pipework including excavation: Total length 300m, consisting of:
 pressure) 3m pipe laying (per communication pipe in unmade ground with excavation) 	 125mm diameter PE – 10m pipework in road (including connection to existing 180mm PE Main) 125mm diameter PE – 50m pipework in footpath 125mm diameter PE – 140m pipework in Unmade ground 90mm diameter PE – 100m pipework Unmade ground

Design Considerations:

- 180mm diameter existing main, serving 150 existing customers
- Three commissioning phases
- Three sample chlorination and connections footpath
- SSC completing design

Fittings across length of mains:

- Four 125mm washouts unmade ground
- Five valves (1 x 150mm, 3 x 100mm, 1 x 80mm) unmade ground
- One trial hole unmade ground

Fittings at mains connection:

- Two fittings (single rate for valves, wash outs, tee's and bends in our charges)
- One back-to-back

Traffic management assumes the road (Type 3-4) is 50mph, has two lanes and requires a road closure and eight parking pay suspensions. Any additional council charges for permitting should be included. A fee of £72.50 has been assumed for council permitting which is an average of permits across our region. The road closure TTRO reflects an average cost across the councils within our region.

This example assumes that meter fitting, laying of pipework (services and mains) and traffic management (including council TTRO) are undertaken by a Self Lay provider in the alternative delivery option (including for the NAV option).

The NAV application fee reflects the fee payable for a bulk supply offer.

The fees shown in the alternative delivery method cells reflect non barrier pipe materials.

Scenario	4: Medium housiı			iiring new m ent by Wate		munication pi	pes (excavatio	on and		Alternative D	elivery Metho	bd
Applicable Charge?	Item	Unit	Qty	Rate (£)	Total Charge (£)	Barrier Pipe Uplift/ Rate	Barrier Pipe Total Charge (£)	Contest able? (Y/N)	Self-Lay Rate (£)	Self-Lay Total Charge (£)	NAV rate (£)	NAV total charge (£)
	Pre-Constructio	n Charges – co	onnecti	on								
N	Application Fee	Per application	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
N	Administratio n Fee	Per application	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
N	Design Fee	Per application	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Pre-Constructio	n Charges – m	nains									
Y	Application Fee	Per application	1	483.00	483.00	483.00	483.00	N	483.00	483.00	483.00	483.00
N	Administratio n Fee	Per application	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
N	Design Fee	Per application	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/#
	Construction Ch	arges										
Y	Service connection	Per connection	50	411.94	20,597.00	651.56	32,578.00	Y	0.00	0.00	0.00	0.00
Y	Pipework	Per metre	50	181.97	9,098.50	184.48	9,224.00	Y	0.00	0.00	0.00	0.00
Y	Meter installation	Per meter	N/A	N/A	N/A	N/A	N/A	Y	0.00	0.00	0.00	0.00

Scenario	4: Medium housi			uiring new m ent by Wate		munication pi	pes (excavatio	on and		Alternative D	elivery Metho	bd
Applicable Charge?	Item	Unit	Qty	Rate (£)	Total Charge (£)	Barrier Pipe Uplift/ Rate	Barrier Pipe Total Charge (£)	Contest able? (Y/N)	Self-Lay Rate (£)	Self-Lay Total Charge (£)	NAV rate (£)	NAV total charge (£)
	Construction Ch	harges										
Y	Mains connection (under pressure)	Per connection	1	2,634.28	2,634.28	2,634.28	2,634.28	N	2,634.28	2,634.28	2,634.28	2,634.28
Y	Mains sub- charge 1 (UPT drill)	Per day	2	1,029.82	2,059.64	1,029.82	2,059.64	N	1,029.82	2,059.64	1,029.82	2,059.64
Y	Mains sub- charge 2 (back-to-back)	Per item	1	780.36	780.36	780.36	780.36	N	780.36	780.36	780.36	780.36
Y	Mains sub- charge 3 (fittings associated with the mains connection)	Per fitting	2	314.22	628.44	314.22	628.44	N	314.22	628.44	314.22	628.44
Y	Mains sub- charge 4 (mini digger – connection only)	Per day	1	138.40	138.40	138.40	138.40	N	138.40	138.40	138.40	138.40

Scenario 4	: Medium housir			iiring new m ent by Wate		munication pi	pes (excavatio	on and		Alternative D	elivery Metho	bd
Applicable Charge?	Item	Unit	Qty	Rate (£)	Total Charge (£)	Barrier Pipe Uplift/ Rate	Barrier Pipe Total Charge (£)	Contest able? (Y/N)	Self-Lay Rate (£)	Self-Lay Total Charge (£)	NAV rate (£)	NAV total charge (£)
Y	Mains sub- charge 5 (fittings on main 1 x 150mm valve	Per fitting	1	486.95	486.95	486.95	486.95	Y	0.00	0.00	0.00	0.00
Y	Mains sub- charge 6 (fittings on main 3 x 100mm valve	Per fitting	3	314.22	942.66	314.22	942.66	Y	0.00	0.00	0.00	0.0
Y	Mains sub- charge 7 (fittings on main 1 x 80mm valve	Per fitting	1	261.63	261.63	261.63	261.63	Y	0.00	0.00	0.00	0.0
Y	Mains sub- charge 8 (fittings on main	Per fitting	4	314.22	1,256.88	314.22	1,256.88	Y	0.00	0.00	0.00	0.0

Scenario	4: Medium housin			uiring new m ent by Wate		nunication pi	pes (excavatio	on and		Alternative D	elivery Metho	bd
Applicable Charge?	ltem	Unit	Qty	Rate (£)	Total Charge (£)	Barrier Pipe Uplift/ Rate	Barrier Pipe Total Charge (£)	Contest able? (Y/N)	Self-Lay Rate (£)	Self-Lay Total Charge (£)	NAV rate (£)	NAV total charge (£)
	4 x 125mm WO's											
Y	Mains sub- charge 9 (trial hole)	Per item	1	245.08	245.08	245.08	245.08	Y	0.00	0.00	0.00	0.00
Y	Mains sub- charge 10 (mini digger – remainder of off-site main)	Per day	2	138.40	276.80	138.40	276.80	Y	0.00	0.00	0.00	0.00
Y	Mains sub- charge 11 (road plates)	Per day	3	98.77	296.31	98.77	296.31	Y	0.00	0.00	0.00	0.00
Y	Mains sub- charge 12 (post connection sample)	Per item	3	361.16	1,083.48	361.16	1,083.48	Y	0.00	0.00	0.00	0.00
Y	Mains sub- charge 13 (chlorination and pressure testing)	Per item	3	557.88	1,673.64	557.88	1,673.64	Y	0.00	0.00	0.00	0.00

Scenario	4: Medium housir			iiring new m ent by Wate		munication pi	pes (excavatio	on and		Alternative D	elivery Metho	bd
Applicable Charge?	Item	Unit	Qty	Rate (£)	Total Charge (£)	Barrier Pipe Uplift/ Rate	Barrier Pipe Total Charge (£)	Contest able? (Y/N)	Self-Lay Rate (£)	Self-Lay Total Charge (£)	NAV rate (£)	NAV total charge (£)
Y	Mains sub- charge 14 (GPS surveying)	Per item	1	298.05	298.05	298.05	298.05	Y	0.00	0.00	0.00	0.00
Y	Pipework 125mm x 10m Road	Per metre	10	167.30	1,673.00	206.42	2,064.20	Y	0.00	0.00	0.00	0.00
Y	Mains sub- charge 15 Pipework – 125mm x 50m Footpath	Per metre	50	121.90	6,095.00	161.02	8,051.00	Y	0.00	0.00	0.00	0.00
Y	Mains sub- charge 16 Pipework – 125mm x 140m Unmade	Per metre	140	65.87	9,221.80	104.99	14,698.60	Y	0.00	0.00	0.00	0.00
Y	Mains sub- charge 17 Pipework – 90mm x 100m	Per metre	100	57.66	5,766.00	77.40	7,740.00	Y	0.00	0.00	0.00	0.00

Scenario	4: Medium housin			iiring new m ent by Wate		nunication pi	pes (excavatio	on and		Alternative D	elivery Metho	bd
Applicable Charge?	ltem	Unit	Qty	Rate (£)	Total Charge (£)	Barrier Pipe Uplift/ Rate	Barrier Pipe Total Charge (£)	Contest able? (Y/N)	Self-Lay Rate (£)	Self-Lay Total Charge (£)	NAV rate (£)	NAV total charge (£)
	Unmade											
Ŷ	Traffic Management (road closure council cost - TTRO)	Per TM usage	1	1,210.00	1,210.00	1,210.00	1,210.00	Y	0.00	0.00	0.00	0.0
Y	Mains sub- charge 18 Council permit	Per TM usage	1	72.50	72.50	72.50	72.50	Y	0.00	0.00	0.00	0.0
Y	Mains sub- charge 19 Diversion for road closure	Per TM usage	1	1,362.19	1,362.19	1,362.19	1,362.19	Y	0.00	0.00	0.00	0.0
Y	Mains sub- charge 20 Diversion daily charge	Per day	3	36.91	110.73	36.91	110.73	Y	0.00	0.00	0.00	0.0
	Other Charges											
Y	Meter	Per meter	50	44.47	2,223.50	44.47	2,223.50	N/A	44.47	2,223.50	0.00	0.0

Scenario 4	4: Medium housin			iiring new m ent by Wate		nunication pi	pes (excavatio	on and		Alternative D	elivery Metho	d
Applicable Charge?	ltem	Unit	Qty	Rate (£)	Total Charge (£)	Barrier Pipe Uplift/ Rate	Barrier Pipe Total Charge (£)	Contest able? (Y/N)	Self-Lay Rate (£)	Self-Lay Total Charge (£)	NAV rate (£)	NAV total charge (£)
Y	Infrastructure Charge – Water	Per property	50	305.00	15,250.00	305.00	15,250.00	N	305.00	15,250.00	305.00	15,250.00
Ν	Infrastructure Charge - Sewerage	Per property	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Income offset											
Y	Income Offset – Water	Per property	50	-834.50	-41,725.00	-834.50	-41725.00	N	-834.50	-41,725.00	-834.50	-41,725.00
N	Income Offset - Sewerage	Per property	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	TOTALS				44,500.82		66,405.32			-17,527.38		-19,750.88

Scenario 5: Large housing development requiring new mains and communication pipes (excavation and reinstatement completed by others)

This worked example provides charges associated with the provision of new water mains and individual connections from them for each of 200 new houses. This worked examples assumes excavation and reinstatement activities are completed by others, except for the excavation leading to the point of connection to the existing water main.

Within construction costs, this includes: Mains laying; Service pipe installation; Boundary box fitting; Meter installation

Technical Specification (services)	Technical Specification (Mains) without excavation
Pipework (no excavation):	Pipework: Total length 1000m, consisting of:
 Connection to existing main of 250mm diameter PE 3m pipe laying (per communication pipe – no excavation) 	 180mm diameter PE – 20m pipework in type 3-4 road (leading to point of connection) 180mm diameter PE – 100m pipework unmade ground 125mm diameter PE – 480m pipework unmade ground 90mm diameter PE – 400m pipework unmade ground

Design Considerations:

- 250mm diameter existing main, serving 150 existing customers
- Six commissioning phases
- Six sample chlorination and connections footpath
- SSC completing design

Fittings across length of mains:

• Ten 125mm washouts – unmade ground

- Eight valves (1 x 150mm, 5 x 100mm, 2 x 80mm) unmade ground
- Two trial holes unmade ground

Fittings at mains connection:

- Two fittings (single rate for valves, wash outs, tee's and bends in our charges)
- One back-to-back

Traffic management assumes the road (Type 3-4) is 50mph, has two lanes and requires a road closure and eight parking pay suspensions. Any additional council charges for permitting should be included. A fee of £72.50 has been assumed for council permitting which is an average of permits across our region. The road closure TTRO reflects an average cost across the councils within our region.

This example assumes that meter fitting, laying of pipework (services and mains) and traffic management (including council TTRO) are undertaken by a Self Lay provider in the alternative delivery option (including for the NAV option).

The NAV application fee reflects the fee payable for a bulk supply offer.

The fees shown in the alternative delivery method cells reflect non barrier pipe materials.

	Scenario 5: Lar				ng new mains an		cation pipes			Alternative D	elivery Meth	nod
Applicable Charge?	ltem	(excavation Unit	Qty	nstatemen Rate (£)	t completed by of Total Charge (£)	others) Barrier Pipe Uplift/ Rate	Barrier Pipe Total Charge (£)	Contes table? (Y/N)	Self-Lay Rate (£)	Self-Lay Total Charge (£)	NAV rate (£)	NAV total charge (£)
	Pre-Construct	ion Charges –	connec	tion								
N	Application Fee	Per application	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
N	Administrati on Fee	Per application	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/#
N	Design Fee	Per application	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N//
	Pre-Construct	ion Charges –	mains									
Y	Application Fee	Per application	1	483.00	483.00	483.00	483.00	N	483.00	483.00	483.00	483.0
N	Administrati on Fee	Per application	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N//
N	Design Fee	Per application	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N//
	Construction (Charges										
Y	Service connection	Per connection	200	411.94	82,388.00	651.56	130,312.00	Y	0.00	0.00	0.00	0.0
Y	Pipework	Per metre	200	181.97	36,394.00	184.48	36,896.00	Y	0.00	0.00	0.00	0.0
Y	Meter installation	Per meter	N/A	N/A	N/A	N/A	N/A	Y	0.00	0.00	0.00	0.0

	Scenario 5: Lar				ng new mains ar t completed by o		cation pipes			Alternative D	elivery Meth	nod
Applicable Charge?	ltem	Unit	Qty	Rate (£)	Total Charge (£)	Barrier Pipe Uplift/ Rate	Barrier Pipe Total Charge (£)	Contes table? (Y/N)	Self-Lay Rate (£)	Self-Lay Total Charge (£)	NAV rate (£)	NAV total charge (£)
	Construction	Charges					'		'	'		
Y	Mains connection (under pressure)	Per connection	1	2,744.56	2,744.56	2,744.56	2,744.56	N	2,744.56	2,744.56	2,744.56	2,744.56
Ŷ	Mains sub- charge 1 (UPT drill)	Per day	2	1,029.82	2,059.64	1,029.82	2,059.64	N	1,029.82	2,059.64	1,029.82	2,059.64
Y	Mains sub- charge 2 (back-to- back)	Per item	1	842.44	842.44	842.44	842.44	N	842.44	842.44	842.44	842.44
Y	Mains sub- charge 3 (fittings associated with the mains connection)	Per fitting	2	475.55	951.10	475.55	951.10	N	475.55	951.10	475.55	951.10
Y	Mains sub- charge 4	Per day	1	138.40	138.40	138.40	138.40	N	138.40	138.40	138.40	138.40

	Scenario 5: Lar				ng new mains ar t completed by o		cation pipes			Alternative D	elivery Metl	hod
Applicable Charge?	ltem	Unit	Qty	Rate (£)	Total Charge (£)	Barrier Pipe Uplift/ Rate	Barrier Pipe Total Charge (£)	Contes table? (Y/N)	Self-Lay Rate (£)	Self-Lay Total Charge (£)	NAV rate (£)	NAV total charge (£)
	(mini digger – connection only)											
Y	Mains sub- charge 5 (fittings on main 1 x 150mm valve	Per fitting	1	475.55	475.55	475.55	475.55	Y	0.00	0.00	0.00	0.0
Y	Mains sub- charge 6 (fittings on main 5 x 100mm valve	Per fitting	5	306.29	1,531.45	306.29	1,531.45	Y	0.00	0.00	0.00	0.0
Y	Mains sub- charge 7 (fittings on main 2 x 80mm valve	Per fitting	2	253.69	507.38	253.69	507.38	Y	0.00	0.00	0.00	0.0
Y	Mains sub- charge 8	Per fitting	10	306.29	3,062.90	306.29	3,062.90	Y	0.00	0.00	0.00	0.0

	Scenario 5: Larg				ng new mains an t completed by o		cation pipes		Alternative Delivery Method				
Applicable Charge?	ltem	Unit	Qty	Rate (£)	Total Charge (£)	Barrier Pipe Uplift/ Rate	Barrier Pipe Total Charge (£)	Contes table? (Y/N)	Self-Lay Rate (£)	Self-Lay Total Charge (£)	NAV rate (£)	NAV total charge (£)	
	(fittings on main 10 x 125mm WO's												
Y	Mains sub- charge 9 (trial hole)	Per item	2	245.08	490.16	245.08	490.16	Y	0.00	0.00	0.00	0.00	
Y	Mains sub- charge 10 (mini digger – remainder of off-site main)	Per day	4	138.40	553.60	138.40	553.60	Y	0.00	0.00	0.00	0.00	
Y	Mains sub- charge 11 (road plates)	Per day	5	98.77	493.85	98.77	493.85	Y	0.00	0.00	0.00	0.00	
Y	Mains sub- charge 12 (post connection sample)	Per item	6	361.16	2,166.96	361.16	2,166.96	Y	0.00	0.00	0.00	0.00	
Y	Mains sub- charge 13	Per item	6	557.88	3,347.28	557.88	3,347.28	Y	0.00	0.00	0.00	0.00	

	Scenario 5: Lar				ng new mains ar t completed by o		cation pipes		Alternative Delivery Method				
Applicable Charge?	Item	Unit	Qty	Rate (£)	Total Charge (£)	Barrier Pipe Uplift/ Rate	Barrier Pipe Total Charge (£)	Contes table? (Y/N)	Self-Lay Rate (£)	Self-Lay Total Charge (£)	NAV rate (£)	NAV total charge (£)	
	(chlorination and pressure testing)												
Y	Mains sub- charge 14 (GPS surveying)	Per item	1	298.05	298.05	298.05	298.05	Y	0.00	0.00	0.00	0.00	
Y	Pipework 180mm x 20m Lay only	Per metre	20	59.77	1,195.40	101.28	2,025.60	Y	0.00	0.00	0.00	0.0	
Y	Mains sub- charge 15 Pipework – 180mm x 100m Lay only	Per metre	100	59.77	5,977.00	101.28	10,128.00	Y	0.00	0.00	0.00	0.0	
Y	Mains sub- charge 16 Pipework – 125mm x 480m Lay only	Per metre	480	45.47	21,825.60	83.85	40,248.00	Y	0.00	0.00	0.00	0.0	

	Scenario 5: Larg				ng new mains ar t completed by o		cation pipes			Alternative D	elivery Met	hod
Applicable Charge?	ltem	Unit	Qty	Rate (£)	Total Charge (£)	Barrier Pipe Uplift/ Rate	Barrier Pipe Total Charge (£)	Contes table? (Y/N)	Self-Lay Rate (£)	Self-Lay Total Charge (£)	NAV rate (£)	NAV total charge (£)
Y	Mains sub- charge 17 Pipework – 90mm x 400m Lay only	Per metre	400	37.26	14,904.00	56.26	22,504.00	Y	0.00	0.00	0.00	0.00
Y	Traffic Managemen t (road closure council cost - TTRO)	Per TM usage	1	1,210.00	1,210.00	1,210.00	1,210.00	Y	0.00	0.00	0.00	0.00
Y	Mains sub- charge 18 Council permit	Per TM usage	1	72.50	72.50	72.50	72.50	Y	0.00	0.00	0.00	0.00
Y	Mains sub- charge 19 Diversion for road closure	Per TM usage	1	1,362.19	1,362.19	1,362.19	1,362.19	Y	0.00	0.00	0.00	0.00
Y	Mains sub- charge 20	Per day	5	36.91	184.55	36.91	184.55	Y	0.00	0.00	0.00	0.00

	Scenario 5: Larg				ng new mains an t completed by c		cation pipes			Alternative D	elivery Meth	nod
Applicable Charge?	ltem	Unit	Qty	Rate (£)	Total Charge (£)	Barrier Pipe Uplift/ Rate	Barrier Pipe Total Charge (£)	Contes table? (Y/N)	Self-Lay Rate (£)	Self-Lay Total Charge (£)	NAV rate (£)	NAV total charge (£)
	Diversion daily charge											
	Other Charges											
Y	Meter	Per meter	200	44.47	8,894.00	44.47	8,894.00	N/A	44.47	8,894.00	0.00	0.0
Y	Infrastructur e Charge – Water	Per property	200	305.00	61,000.00	305.00	61,000.00	N	305.00	61,000.00	305.00	61,000.0
N	Infrastructur e Charge - Sewerage	Per property	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N//
	Income offset											
Y	Income Offset – Water	Per property	200	-834.50	-166,900.00	-834.50	-166,900.00	N	-834.50	- 166,900.00	-834.50	-166,900.0
N	Income Offset - Sewerage	Per property	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	TOTALS				88,653.56		168,083.61			-89,786.86		-98,680.8

Scenario 6: Large housing development requiring new mains and communication pipes (excavation and reinstatement completed by Water Company)

This worked example provides charges associated with the provision of new water mains and individual connections from them for each of 200 new houses. This worked example assumes that the excavation and reinstatement activities are carried out by the Water Company, however, should the Developer appoint an SLP or NAV, this worked example assumes these (and other contestable items) would be carried out by the SLP or NAV. Within construction costs, this includes: Main laying; Service pipe installation; Boundary box fitting; Meter installation; Excavation; Reinstatement.

Technical Specification (services)	Technical Specification (Mains) – with excavation Pipework: Total length 1000m, consisting of:
 Pipework: Connection to existing main of 250mm diameter PE (excavation, made ground, under pressure) 3m pipe laying (per communication pipe, excavation, unmade ground 	 180mm diameter PE – 20m pipework in type 3-4 road (leading to point of connection) 180mm diameter PE – 100m pipework in unmade ground 125mm diameter PE – 480m pipework in unmade ground 90mm diameter PE – 400m pipework in unmade ground

Design Considerations:

- 250mm diameter existing main, serving 150 existing customers
- Six commissioning phases
- Six sample chlorination and connections footpath
- SSC completing design

Fittings across length of mains:

- Ten 125mm washouts unmade ground
- Eight valves (1 x 150mm, 5 x 100mm, 2 x 80mm) unmade ground
- Two trial holes unmade ground

Fittings at mains connection:

- Two fittings (single rate for valves, wash outs, tee's and bends in our charges)
- One back-to-back

Traffic management assumes the road (Type 3-4) is 50mph, has two lanes and requires a road closure and eight parking pay suspensions. Any additional council charges for permitting should be included. A fee of £72.50 has been assumed for council permitting which is an average of permits across our region. The road closure TTRO reflects an average cost across the councils within our region.

This example assumes that meter fitting, laying of pipework (services and mains) and traffic management (including council TTRO) are undertaken by a Self Lay provider in the alternative delivery option (including for the NAV option).

The NAV application fee reflects the fee payable for a bulk supply offer.

The fees shown in the alternative delivery method cells reflect non barrier pipe materials.

Item Construction Application Fee ministratio n Fee	Unit D Charges – Per applicati on Per applicati on Per	Qty	Rate (£) tion N/A N/A	N/A	Barrier Pipe Uplift/ Rate N/A	Barrier Pipe Total Charge (£) N/A	Conte stable ? (Y/N) N/A N/A	Self-Lay Rate (£) N/A	Self-Lay Total Charge (£) N/A	NAV rate (£) N/A	NAV total charge (£) N//
Application Fee Iministratio	Per applicati on Per applicati on Per	N/A N/A	N/A N/A								
Fee	applicati on Per applicati on Per	N/A	N/A								
	applicati on Per			N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/
		N/A									
Design Fee	applicati on		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/
-Constructio	n Charges –	mains		1							
Application Fee	Per applicati on	1	483.00	483.00	483.00	483.00	N	483.00	483.00	483.00	483.0
ministratio n Fee	Per applicati on	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/
Design Fee	Per applicati on	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N,
lmi	Fee inistratio n Fee	Fee on Per applicati n Fee on Per applicati on Per applicati	FeeonFeeonPerN/Aapplicationn FeeOnPerN/Aapplicationesign Feeon	FeeonFeeonInistratio n FeePer applicati onN/APer applicati onN/APer applicati onN/A	FeeonN/AN/AInistratio n FeePer applicati onN/AN/APer applicatiN/AN/APer applicatiN/AN/A	FeeonNFeeonN/AInistratio n FeePer applicati onN/AN/AN/AN/AN/AN/AN/AN/AN/APer applicati onN/AN/AN/AN/AN/A	FeeononononFeeonN/AN/AN/AN/Ainistratio n FeeonN/AN/AN/AN/APer applicati applicatiN/AN/AN/AN/A	FeeonononononFeeonN/AN/AN/AN/AN/Ainistratio n FeeonPer onN/AN/AN/AN/APer applicati applicatiN/AN/AN/AN/AN/A	FeeOnOnOnOnOnOnInistratio n FeePer onN/AN/AN/AN/AN/AN/APer applicati applicatiN/AN/AN/AN/AN/AN/APer applicatiN/AN/AN/AN/AN/AN/A	FeeNN/AN/AN/AN/AN/Ainistratio n FeePer applicati onN/AN/AN/AN/AN/AN/APer applicationN/AN/AN/AN/AN/AN/AN/ANPer applicationN/AN/AN/AN/AN/AN/A	FeeNN/AN/AN/AN/AN/AN/AN/Ainistratio n FeePer applicati onN/AN/AN/AN/AN/AN/AN/AN/APer applicati applicatiN/AN/AN/AN/AN/AN/AN/AN/A

	Scenario 6: Large (exca				new mains and leted by Water		tion pipes			Alternative De	livery Metho	bd
Applicable Charge?	ltem	Unit	Qty	Rate (£)	Total Charge (£)	Barrier Pipe Uplift/ Rate	Barrier Pipe Total Charge (£)	Conte stable ? (Y/N)	Self-Lay Rate (£)	Self-Lay Total Charge (£)	NAV rate (£)	NAV total charge (£)
Y	Service connection	Per connecti on	200	411.94	82,388.00	651.56	130,312.00	Y	0.00	0.00	0.00	0.00
Y	Pipework	Per metre	200	181.97	36,394.00	184.48	36,896.00	Y	0.00	0.00	0.00	0.00
Y	Meter installation	Per meter	N/A	N/A	N/A	N/A	N/A	Y	0.00	0.00	0.00	0.00
	Construction Ch	arges										
Y	Mains connection (under pressure)	Per connecti on	1	2,744.56	2,744.56	2,744.56	2,744.56	N	2,744.56	2,744.56	2,744.56	2,744.56
Y	Mains sub- charge 1 (UPT drill)	Per day	2	1,029.82	2,059.64	1,029.82	2,059.64	N	1,029.82	2,059.64	1,029.82	2,059.64
Y	Mains sub- charge 2 (back-to-back)	Per item	1	842.44	842.44	842.44	842.44	N	842.44	842.44	842.44	842.44
Y	Mains sub- charge 3 (fittings associated	Per fitting	2	486.95	973.90	486.95	973.90	N	486.95	973.90	486.95	973.90

	Scenario 6: Large (exca				new mains and leted by Water		tion pipes		Alternative Delivery Method				
Applicable Charge?	Item	Unit	Qty	Rate (£)	Total Charge (£)	Barrier Pipe Uplift/ Rate	Barrier Pipe Total Charge (£)	Conte stable ? (Y/N)	Self-Lay Rate (£)	Self-Lay Total Charge (£)	NAV rate (£)	NAV total charge (£)	
	with the mains connection)												
Y	Mains sub- charge 4 (mini digger – connection only)	Per day	1	138.40	138.40	138.40	138.40	N	138.40	138.40	138.40	138.40	
Y	Mains sub- charge 5 (fittings on main 1 x 150mm valve	Per fitting	1	486.95	486.95	486.95	486.95	Y	0.00	0.00	0.00	0.00	
Y	Mains sub- charge 6 (fittings on main 5 x 100mm valve	Per fitting	5	314.22	1,571.10	314.22	1,571.10	Y	0.00	0.00	0.00	0.00	
Y	Mains sub- charge 7 (fittings on main	Per fitting	2	261.63	523.26	261.63	523.26	Y	0.00	0.00	0.00	0.00	

	Scenario 6: Large (exca				new mains and leted by Water (tion pipes		Alternative Delivery Method				
Applicable Charge?	ltem	Unit	Qty	Rate (£)	Total Charge (£)	Barrier Pipe Uplift/ Rate	Barrier Pipe Total Charge (£)	Conte stable ? (Y/N)	Self-Lay Rate (£)	Self-Lay Total Charge (£)	NAV rate (£)	NAV total charge (£)	
	2 x 80mm valve												
Y	Mains sub- charge 8 (fittings on main 10 x 125mm WO's	Per fitting	10	314.22	3,142.20	314.22	3,142.20	Y	0.00	0.00	0.00	0.00	
Y	Mains sub- charge 9 (trial hole)	Per item	2	245.08	490.16	245.08	490.16	Y	0.00	0.00	0.00	0.0	
Y	Mains sub- charge 10 (mini digger – remainder of off-site main)	Per day	4	138.40	553.60	138.40	553.60	Y	0.00	0.00	0.00	0.0	
Y	Mains sub- charge 11 (road plates)	Per day	5	98.77	493.85	98.77	493.85	Y	0.00	0.00	0.00	0.00	
Y	Mains sub- charge 12	Per item	6	361.16	2,166.96	361.16	2,166.96	Y	0.00	0.00	0.00	0.00	

	Scenario 6: Large (exca				new mains and leted by Water (tion pipes		Alternative Delivery Method				
Applicable Charge?	Item	Unit	Qty	Rate (£)	Total Charge (£)	Barrier Pipe Uplift/ Rate	Barrier Pipe Total Charge (£)	Conte stable ? (Y/N)	Self-Lay Rate (£)	Self-Lay Total Charge (£)	NAV rate (£)	NAV total charge (£)	
	(post connection sample)												
Y	Mains sub- charge 13 (chlorination and pressure testing)	Per item	6	557.88	3,347.28	557.88	3,347.28	Y	0.00	0.00	0.00	0.00	
Y	Mains sub- charge 14 (GPS surveying)	Per item	1	298.05	298.05	298.05	298.05	Y	0.00	0.00	0.00	0.00	
Y	Pipework 180mm x 20m Road	Per metre	20	181.60	3,632.00	223.85	4,477.00	Y	0.00	0.00	0.00	0.00	
Y	Mains sub- charge 15 Pipework – 180mm x 100m	Per metre	100	80.17	8,017.00	122.42	12,242.00	Y	0.00	0.00	0.00	0.00	
Y	Mains sub- charge 16	Per metre	480	65.87	31,617.60	104.99	50,395.20	Y	0.00	0.00	0.00	0.00	

	Scenario 6: Large (exca				new mains and leted by Water		ition pipes		Alternative Delivery Method				
Applicable Charge?	Item	Unit	Qty	Rate (£)	Total Charge (£)	Barrier Pipe Uplift/ Rate	Barrier Pipe Total Charge (£)	Conte stable ? (Y/N)	Self-Lay Rate (£)	Self-Lay Total Charge (£)	NAV rate (£)	NAV total charge (£)	
	Pipework – 125mm x 480m												
Y	Mains sub- charge 17 Pipework – 90mm x 400m	Per metre	400	57.66	23,064.00	77.40	30,960.00	Y	0.00	0.00	0.00	0.00	
Y	Traffic Management (road closure council cost - TTRO)	Per TM usage	1	1,210.00	1,210.00	1,210.00	1,210.00	Y	0.00	0.00	0.00	0.00	
Y	Mains sub- charge 18 Council permit	Per TM usage	1	72.50	72.50	72.50	72.50	Y	0.00	0.00	0.00	0.00	
Y	Mains sub- charge 19 Diversion for road closure	Per TM usage	1	1,362.19	1,362.19	1,362.19	1,362.19	Y	0.00	0.00	0.00	0.00	
Y	Mains sub- charge 20 Diversion daily charge	Per day	5	36.91	184.55	36.91	184.55	Y	0.00	0.00	0.00	0.00	

Scenario 6: Large housing development requiring new mains and communication pipes (excavation and reinstatement completed by Water Company)						Alternative Delivery Method						
Applicable Charge?	Item	Unit	Qty	Rate (£)	Total Charge (£)	Barrier Pipe Uplift/ Rate	Barrier Pipe Total Charge (£)	Conte stable ? (Y/N)	Self-Lay Rate (£)	Self-Lay Total Charge (£)	NAV rate (£)	NAV total charge (£)
	Other Charges											
Y	Meter	Per meter	200	44.47	8,894.00	44.47	8,894.00	N/A	44.47	8,894.00	0.00	0.00
Y	Infrastructure Charge – Water	Per property	200	305.00	61,000.00	305.00	61,000.00	N	305.00	61,000.00	305.00	61,000.00
Ν	Infrastructure Charge - Sewerage	Per property	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Income offset											
Y	Income Offset – Water	Per property	200	-834.50	-166,900.00	-834.50	-166,900.00	N	-834.50	-166,900.00	-834.50	-166,900.00
Ν	Income Offset - Sewerage	Per property	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/#
	TOTALS				111,221.19		191,420.79			-89,764.06		-98,658.06

Appendix 5: Glossary

Administration fee	The fee associated with general administration activities, after the cost advice stage, relating to the construction phase, which can include processing any payments, scheduling the works, supervision and project management, and processing information into relevant billing/management systems. This would not include site-based activities covered in construction costs, such as additional site visits.
Adoption	The process whereby assets are vested in the water company and subsequently maintained at its expense.
Alternative Point of Connection	Another location indicated by the Water Company which is neither i) a practical location indicated by the Developer customer, nor ii) the nearest practical location where the existing Water Main or Sewer is the same size or larger than the new connecting Water Main or Sewer.
Annual Contestability Summary	The standard format document published annually (or more frequently) by the Water Company on its website setting out which work and services are Contestable Work and Services and which are Non-contestable Work and Services as described in section 3 of the Water Sector Guidance (see <u>www.water.org.uk/water-sector-guidance-approved-documents/</u>).
Application fee	The fee levied at point of application, which is associated with upfront application processing, which can include reviewing and acknowledging an application, checking that all relevant information has been received, preparing a cost advice, an agreement or the acceptance for the proposed works.
Back to back connection	A connection to commission a section of newly laid, tested and cleansed main. Work would normally involve the removal of temporary hydrants and test end and installation of short length of pipe with a straight coupling at either end.
Barrier pipe	A polyethylene (PE) pipe with an aluminium barrier layer conforming to water industry specification 4-32-19.
Bond or Surety	A cash bond or financial guarantee underwritten by an appropriate warranty provider, bank or insurance company, which is accepted by the Water Company.

Branch Connection	The connection of new pipework to an existing Water Main such to provide a supply of water to a Development.				
Carriageway	Ground where the predominant use is for vehicle movements typically tarmac covered.				
Charging Arrangements	A document setting out the charges and/or the methodologies for calculating them, applied by the water or sewerage undertaker in accordance with these rules.				
Charging rules	The Charging Rules for New Connection Services (English Undertakers) issued under sections 51CD, 105ZF and 144ZA of the Act.				
Charging year	A calendar year running from 1 April in a given year to 31 March in the following year.				
CCW	The Consumer Council for Water (CCWater) is a statutory consumer body for the water industry in England and Wales				
Communication Pipe	Any part of a Service Pipe which a Water Company could be, or have been, required to lay under section 46 of the Water Industry Act 1991. Typically, it consists of a pipe laid from an existing or newly laid Water Main to the boundary of a property and may include a meter housing and / or external stop valve. This can be seen in figure below.				
	New state State Image: State Imad				

Contestable charges	Charges for work that an accredited organisation can carry out.
Contaminated land	Land by which a water company will install or request the installation of barrier pipe, following review of the previous use of site, or where proven necessary, in accordance with section 78A of the Environmental Protection Act 1990.
Design Checking Fee	The cost of checking a design submitted by an Accredited Third Party.
Design Fee	The cost of designing against the application, providing a detailed site drawing and design, specification and cost advice. This may also include activities identified in the Administration Fee (such as site visit) if that cost is not already charged by the particular Water Company.
Developer	Any person or business which is responsible for a development
Developer customers	Any customer that receives new connection services from SSW/CW which include builders, developers, SLPs and NAVs
Developer Services	Collectively, the activities associated with serving Developer Customers, which may include the provision of new Water Mains, new Sewers, Communication Pipes, Lateral Drains, diversions of water and sewerage assets and connections made to supply water for building purposes.
Development	Premises on which there are buildings, or on which there will be buildings when proposals made by any person for the erection of any buildings are carried out, and which require connection with, and/or modification of, existing water or sewerage infrastructure.
Diversion	The realignment of an existing main.
Domestic Use	Water used primarily for domestic purposes, including for drinking, washing, cooking, central heating and sanitary purposes
Excavation by Others	Any work undertaken by someone other than the Water Company in excavation, backfilling or reinstatement
Excavation by Water Company	Means any work undertaken by the Water Company (or an agent acting on their behalf) in excavation, backfilling or reinstatement.
Existing main	A Water Main or Sewer that was commissioned independently of development commencing.

Far Side Connection	A connection between premises and an existing water main on the opposite side of the street to those premises, to a maximum communication pipe length of distance of 18 metres, for which a straight linear meterage rate is not applied. Where the water main is located in the centre line of the street then the connection will be considered a Far Side Connection.
Fire Supplies	Supplies provided solely for fire safety provision.
Fixed Charges	Charges which are fixed in amount or which are calculated by reference to a predetermined methodology set out in a Water Company's Charging Arrangements, the application of which allows calculation at the outset of the total amount owing in a given Charging Year in respect of the charges in question. For the avoidance of doubt, a Water Company may impose Fixed Charges by reference to a unit measurement (for example, per megalitre). Furthermore, a Water Company may offer more than one Fixed Charge in charging for a service provided in accordance with the present rules (for example, by differentiating between different geographic areas)
Footpath	A hard-surfaced area intended for use by pedestrian or cyclists.
Household Premises	Any premises used principally as a domestic dwelling or intended for such use, such as a house or flat.
Income offset	A reduction in the developer customer bill to account for future bill-paying revenue from the newly connected properties
Infrastructure charge	The charges described in section 146(2) of the Water Industry Act 1991. That is, a charge paid by the Developer Customer to the Water Company when a property is connected to the company's water supply or sewer network for the first time. The charges fund wider network reinforcement to meet the increased demand arising from the new connections.
Infrastructure credit	A credit which may be applied when there has previously been a billable account on the same site/address. The eligibility criteria and method of calculating Infrastructure Credits is defined by the Water Company in its Charging Arrangements. This term is autonomous from any incentives applied against the infrastructure charge, for water efficiency for example. These are defined in the term Water Efficiency Incentive.
Line stop	A line stop is the term given to a technique used to isolate flow where convenient sluice valves may not be available. It enables

	flow stop to be inserted and creates a temporary point of isolation. Customer interruptions are minimised because the flow stop is installed under pressure. When a second line stop is installed downstream of the first the section in the middle (between the line stops) is isolated from continuous flow and can be cut into to allow the installation of new fittings without interrupting the serviceability of the water main outside of the section between the line stops.
	Some considerations to be aware of is that if the single/double line stop is on a single feed water main or on a main that is of a critical nature then a bypass around the line stop(s) would need to be installed to maintain the required flow. This is achieved by additional under pressure tees outside of the line stop locations and a bypass main installed to achieve the required flow. The provision of thrust blocks to restrain these fittings should also be considered dependent upon, working pressure, existing main material, and existing main diameter.
Made ground	A maintained road or footpath where a permanent reinstatement will be required.
Mains charges	Charges which cover the cost of laying/constructing a new water main to an existing main.
Manifold Connection	Where a Communication Pipe connects with a manifold to which separate Supply Pipes are connected and meters may be fitted.
NAV (New Appointments and Variations)	A company appointed by Ofwat through the new appointments and variations process to provide water and/or sewerage services to customers in an area previously served by the incumbent Water Company. A new appointment is made when Ofwat appoints a company for the first time to provide services for specific geographic area. A variation occurs where an existing appointment is varied to amend the area served.
Near Side Connection	A connection between premises and an existing Water Main on the same side of a street to those premises. Where the Water Main is in the centre line of the street then the connection will be considered a Far Side Connection.
Network Assembly	Components such as sluice valves or washouts, including associated chambers, needed to operate and maintain a water network.
Network Reinforcement	Work to provide or modify such other specified types of infrastructure (mains and tanks, service reservoirs, pumping stations, or sewers) as is necessary in consequence of the need to

	provide adequate water supply and/or sewerage capacity to a development at which mains, service pipes, public sewers and/or lateral drains have been installed or connected by the company imposing the charge or by a company with whom the company has entered into an agreement for bulk supply or bulk discharge.
Non-contestable Work	Work or services that can only be completed by the Water Company (or an agent acting on their behalf) and, in the case of work or services associated with the provision of water supplies, is defined in each Water Company's Annual Contestability Summary.
Non-domestic Use	Water used primarily for non-domestic purposes, including anything not for Domestic Use, such as water for industrial or business use (including manufacturing processes, washing and cleaning and cooling), agricultural use and filling swimming pools.
Non-household Premises	Any premises not a household premises, being used principally for industrial, business, recreational or community purposes and not as a dwelling, or intended for such use.
Non-standard Connection	A service sized above the standard size as defined by the Water Company.
Off-site	Works carried out or proposed to be carried out outside the site boundary.
Ofwat	The Water Services Regulation Authority (Ofwat) is the economic regulator of the water sector in England and Wales.
On-site	Works carried out or proposed to be carried out within the site boundary.
PE pipework	Pipework made from polyethylene which is used as standard in non-contaminated ground.
Per property/per plot	Charges which are structured such that one charge applies per property or plot
Phase	A discrete part of a Development which the Developer Customer chooses to separately progress.
Point of connection (POC)	The point of connection – or POC – is the point on the water network where the connection of mains/connections can be accommodated.

Pre-Planning Enquiry	An enquiry submitted by a Developer Customer to understand the infrastructure requirements or considerations for proposed developments.
Pre-Planning Enquiry Response	A report by the Water Company in response to a Pre-Planning Enquiry that will confirm i) if the development can be supplied with water, ii) capacity within the wastewater network, iii) if any reinforcement work will be required to supply the site together, iv) and, if applicable, identify any existing assets crossing the site which may require diverting or protecting, and v) if Network Reinforcement is required to supply the site, what indicative capital cost or range of costs is likely for these works.
Protective pipe work	Protective pipework, also referred to as barrier pipe, is used in contaminated land.
Rebate	A refund or discount against the developer bill.
Relevant Multiplier (RM)	A calculation to determine the Infrastructure Charges payable relating to Non-household Premises or Household Premises subject to a common billing agreement and is based on the number and type of water fittings proposed for those premises.
Requisition	A request for a new main to serve a development.
Road	A hard-surfaced area intended for vehicles
Self-certification	The activity whereby an Accredited Third Party inspects, checks and certifies installations, both internal and external to a premise, as being compliant with relevant standards and requirements.
Self-lay provider (SLP)	An accredited operative who can lay the pipework for a new water main or sewer rather the infrastructure being laid by the water company. The water company will take over responsibility for self- laid pipes that meet the terms of its agreement.
Service connection	The joining of a Service Pipe to a Water Main which is provided under section 45 and 46 of the Water Industry Act 1991
Service connection charges	Charges which cover the cost of laying/constructing a new service connection to an existing main.
Service Pipe	A pipe, which is, or is to be, connected with a Water Main for supplying water from that main to any premise. This can be seen in figure below.

	New water External stop tap meter & manifold* Water Communication pipe Supply pipe Service pipe
	Water company responsibility Customer responsibility Property boundary - These diagrams are intended as a guide to water supply progromsbillities. They are not a statement of the law and do not cover all eventualities. They are not a statement of the law and do not cover all eventualities. They are not a statement of the law and do not cover all eventualities. They are not a statement of the law and do not cover all eventualities. They are not a statement of the law and do not cover all eventualities. They are not assert the holdcard of the water meter or stop tay is not a indicator of the water meter or stop tay is not an indicator of responsibility for the pipe, as the homeowner's responsibility may estend by ord the water meter or stop ray. * The external stop tap, not event water company is pipe], the location will be stipulated by the relevant water company. (on the supply pipe], the Water Company if you are unsure. * Water company.
Sewerage Sector Guidance	Guidance documents published in accordance with Ofwat's Code for adoption agreements, relating to the adoption of sewerage assets and available at www.water.org.uk/sewerage-sector- guidance-approveddocuments/.
Site-specific work	Work located on a development as well as work to provide and connect a requested water main or service connection to the development. Charges for site specific work relate to the provision of service connections and water mains located on a development up to the nearest practical point on the existing network where the connecting pipework is of a nominal bore internal diameter no larger than that of our existing network. They do not refer to costs or work required as part of network reinforcement.
Supply Pipe	The part of the Service Pipe that is not the Communication Pipe, and which remains the customer's responsibility. This can be seen in the figure below.

	New water External stop tap meter % manifold Main Vater Communication pipe Supply pipe Service pipe Vater company responsibility Property boundary The edagrams are intereded as a guide to water supply pipe Service pipe Connecting multiple properties as agreed with the relevant water company (1 wat		
Sustainable Drainage Incentive	Where offered, a reduction in infrastructure charges to a Developer Customer where they evidence that a Development will or does meet a stipulated threshold for use of a sustainable drainage solution, as defined in the Water Company's Charging Arrangements and/or specific environmental policies.		
Traffic Management Fees	Charges to cover the cost of working in the highway safely as a result of compliance with the Traffic Management Act 2004.		
Trial hole	Exploratory excavation to identify the location of apparatus, prior to works commencing.		
Unmade ground	Ground which does not have a man-made surface, and may feature grass and topsoil.		
Upsizing	Where the Water Company instructs that new Water Mains and/or Sewers are increased in size beyond that required to satisfy the minimum design for a specific Development. This may be to facilitate future development and is deemed Network Reinforcement.		
Water Company	A company holding an appointment as a water or sewerage undertaker under the Water Industry Act 1991.		
Water efficiency incentive	Where offered, a reduction in infrastructure charges to a Developer Customer where they evidence that a Development will or does meet a stipulated threshold for reduced water consumption, as		

	defined in the Water Company's Charging Arrangements and/or specific environmental policies.
Water Industry Registration Scheme (WIRS)	The scheme operated by Lloyd's Register EMEA on behalf of Water UK and its members, which certifies the competence of companies undertaking Self-Lay, or such other scheme as replaces it from time to time.
Water main	A large diameter pipe (typically 90mm and above) which is used to circulate water around a water network. Smaller pipework, known as service or communication pipes, typically connect into water mains to provide the individual supplies to properties.
Water meter	A device for measuring water consumption.
Water Regs UK	The company responsible for running the Water Industry Approved Plumber Scheme (WIAPS) on behalf of the water industry in England and Wales, formerly provided under the Water Regulations Advisory Scheme. The company promotes compliance with the Water Fitting Regulations 1999 and other relevant standards across the UK to protect customers.
Water Regulations Advisory Scheme (WRAS)	A compliance mark that demonstrates that an item or product complies with standards set out by Water Supply (Water Fittings) Regulations 1999.
Water Sector Guidance	Guidance documents published in accordance with Ofwat's Code for adoption agreements, relating to the adoption of water assets and available at www.water.org.uk/water-sector-guidance- approved-documents/.

Appendix 6: Statement of Significant Changes

SOUTH STAFFORDSHIRE WATER PLC

2024-25 CHARGES

STATEMENT OF SIGNIFICANT CHANGES TO DEVELOPER CHARGES

Under the charges scheme rules for new connection services issued by the Ofwat, we are required to include a statement in the charging arrangements for new connection services setting out any significant changes to bills for typical developments when publishing those arrangements for 2024-25. This is set out below:

(a) Worked examples of typical development bills for new connection services.

We have included a list of typical examples as set out by Ofwat in appendix 4 of this document.

(b) Confirmation of whether the water company is expecting there to be any bill increases of more than 10% from the previous year (for a given type of development) and, if such increases are expected:

o what size increase is expected;

A number of our service connection and mains laying charges will increase by over 10% in our 2024/25 charges compared to our 2023/24 charges. Main laying charges are increasing by an average of 15% and service connection charges are increasing by an average of 12%. These increases reflect the increasing costs incurred in providing services to developers including internal employee cost increases, contract rate increases and increases in material costs which have been particularly notable in recent months.

We have chosen to pass the full cost increases that we are experiencing in delivering service connection and main laying activity onto our charges for 2024/25 as:

- we are required to set charges which are cost reflective and
- service connection and mains laying charges recover revenue for activities which sit within a competitive market (contestable activities) and therefore this decision ensures we maintain a level playing field.

Alongside these charge increases, our income offset rebate value is reducing by 11% for 2024/25.

o what types of typical developments are likely to be affected; and

All types of typical developments are likely to be affected.

o the handling strategies adopted by the water company or why the water company considered that no handling strategies are required.

The handling factors for these increases are:

- Developer customers have until 1 April 2024 to obtain quotations for schemes under our 2023/24 charges and have a 12 month validity period on these quotes
- We have introduced a wider set of water efficiency options within our developer charges for 2024/25 such that developer customers can achieve greater discounts for building water efficient homes. If customers design homes to achieve a maximum of 80lpd they will attract a water efficiency discount which either limits the annual increase or reduces the overall bill in 2024/25 when compared to 2023/24.
- A key contributor to the overall bill increases is the reduction in income offset in 2024/25. Income offset will be removed in 2025/26 as a result of the change in charging rules. The reduction in the income offset for 2024/25 goes some way to transition developer customers ready for 2025/26.

Based on the above, the Board of Directors has assessed the effects of the new charges on customers' bills for a range of different types of development, and approves the impact assessments and handling strategies.

Hunt

Andy Willicott

Managing Director

South Staffordshire Water PLC